



US00D775928S

(12) **United States Design Patent**  
**Euchner**

(10) **Patent No.:** **US D775,928 S**  
(45) **Date of Patent:** **\*\* Jan. 10, 2017**

(54) **LOCKING DEVICE**  
(71) Applicant: **Euchner GmbH + Co. KG**,  
Leinfelden-Echterdingen (DE)  
(72) Inventor: **Stefan Euchner**, Stuttgart (DE)  
(73) Assignee: **Euchner GmbH + Co. KG**,  
Leinfelden-Echterdingen (DE)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/537,555**  
(22) Filed: **Aug. 27, 2015**  
(30) **Foreign Application Priority Data**

7,562,547 B2 \* 7/2009 Avganim ..... E05B 73/0082  
70/14  
D614,476 S \* 4/2010 Buhse ..... D8/330  
D634,605 S \* 3/2011 Guimaraes ..... D15/28  
8,555,682 B2 \* 10/2013 Trunek ..... B62H 5/003  
70/14  
8,833,274 B2 \* 9/2014 Bartel ..... E05G 1/00  
109/48  
8,925,981 B2 \* 1/2015 Ray, II ..... B66B 13/16  
292/140  
8,984,919 B2 \* 3/2015 Jelin ..... E05B 65/46  
109/52  
9,297,186 B2 \* 3/2016 Chen ..... E05C 1/12

\* cited by examiner

*Primary Examiner* — Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm* — Michael Soderman

Jul. 1, 2015 (EM) ..... 002729111  
(51) **LOC (10) Cl.** ..... **08-07**  
(52) **U.S. Cl.**  
USPC ..... **D8/330**  
(58) **Field of Classification Search**  
USPC ..... D8/330, 331, 336, 339, 343, 349, 350,  
D8/354, 382, 400, 300, 301, 302; 70/14,  
70/51, 52, 57, 57.1, 67, 69, 78, 85, 86,  
70/88, 141, 262, 263, 431, 218, 221, 203;  
292/32, 358, 359, DIG. 68, DIG. 30, 137,  
292/106, 108, 336.3  
CPC ..... E05B 3/00; E05B 9/00; E05B 2009/004;  
E05B 47/00; E05B 55/00; E05B  
15/00; E05C 7/00; E05C 19/08  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D303,623 S \* 9/1989 Pearson ..... D8/330  
D505,853 S \* 6/2005 Ling ..... D8/334


(57) **CLAIM**

The ornamental design for a locking device, as shown and described.

**DESCRIPTION**

FIG. 1 is a view in perspective at an angle from the front, top and right-hand side of the locking device showing the new design;  
FIG. 2 is a front view of the locking device;  
FIG. 3 is a rear view of the locking device;  
FIG. 4 is a view of the left-hand side of the locking device;  
FIG. 5 is a view of the right-hand side of the locking device;  
FIG. 6 is a top view of the locking device; and,  
FIG. 7 is a bottom view of the locking device.  
The broken lines illustrate unclaimed portions and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7