



US00D776052S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,052 S**
Nommensen et al. (45) **Date of Patent:** **** Jan. 10, 2017**

(54) **BATTERY RECEPTACLE**

7/0011;H02J 7/0013; H02J 7/0054; H02J 7/0055; H02J 7/0057; H02J 2007/0062

(71) Applicant: **Briggs & Stratton Corporation**,
Wauwatosa, WI (US)

See application file for complete search history.

(72) Inventors: **James Nommensen**, Oak Creek, WI (US); **Paul D. Kluck**, Belgium, WI (US); **Matthew Markowski**, Wauwatosa, WI (US); **Robert Koenen**, Pewaukee, WI (US); **Dale S. DiIulio**, Saukville, WI (US); **Bart Mayer**, Fond du Lac, WI (US); **Brian D. Neeley**, West Bend, WI (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D258,818 S 4/1981 Johnson et al.
D265,899 S 8/1982 House, II

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Foley & Lardner LLP

(73) Assignee: **Briggs & Stratton Corporation**,
Wauwatosa, WI (US)

(57) **CLAIM**

(**) Term: **14 Years**

We claim the ornamental design for a battery receptacle, as shown and described.

(21) Appl. No.: **29/488,712**

DESCRIPTION

(22) Filed: **Apr. 22, 2014**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102–110, 118–119, 184, 199;
D14/356, 432; 429/96–100, 163, 176;
320/103, 111–115, 135, 138, 140
CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M 2/0207; H01M 2/0212; H01M 2/1061; H01M 2/1022; H01M 2/1055; H01M 2/1066; H01M 2/105; H01M 2/20; H01M 2/202; H01M 2/204; H01M 2/206; H01M 10/44; H01M 10/46; H01M 10/465; H01M 10/482; H01M 10/4257; H01M 10/0436; H01M 10/48; H01M 2200/30; H01M 2250/30; H01M 2250/40; H02J 7/00; H02J 7/0003; H02J

FIG. 1 is a front-left perspective view from above of the battery receptacle;

FIG. 2 is a detail view of a portion of the battery receptacle thereof;

FIG. 3 is a front-right perspective view thereof;

FIG. 4 is a detail view of a portion of a battery receptacle in FIG. 3;

FIG. 5 is a left side view of the battery receptacle in FIG. 1;

FIG. 6 is a right side view thereof;

FIG. 7 is a rear side view thereof;

FIG. 8 is a front view thereof;


FIG. 9 is a detail view of a portion of the battery receptacle in FIG. 8;

FIG. 10 is a top view of the battery receptacle in FIG. 1; and,

FIG. 11 is a detail view of a portion of the battery receptacle in FIG. 10.

The broken lines shown in the drawings are included for the purpose of illustrating portions of the battery receptacle that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS		
D265,985 S	8/1982	House, II
D299,640 S	1/1989	Price
D300,920 S	5/1989	Gierke
D302,971 S	8/1989	Gierke
D303,205 S	9/1989	Gierke et al.
D304,543 S	11/1989	Somers et al.
D316,216 S	4/1991	Gierke et al.
D353,130 S	* 12/1994	Aldrich D13/102
D376,579 S	12/1996	Bunyea et al.
D391,943 S	* 3/1998	Han D14/356
D400,499 S	11/1998	Bunyea
D401,901 S	12/1998	Bunyea et al.
D409,976 S	5/1999	Buck
D415,100 S	10/1999	Buck
D418,811 S	1/2000	Bunyea et al.
D432,077 S	10/2000	Zurwelle et al.
D433,994 S	* 11/2000	Jobs D13/110
D437,580 S	2/2001	Marshall et al.
D438,170 S	* 2/2001	Hofbauer D13/103
D439,561 S	* 3/2001	Lee, IV D13/103
D456,002 S	4/2002	Kato et al.
D456,807 S	* 5/2002	Floyd D14/356
D460,412 S	7/2002	Nawrozki
D460,413 S	7/2002	Zurwelle et al.
D461,447 S	8/2002	Nawrozki
D463,359 S	9/2002	Nawrozki
D463,774 S	10/2002	Buck
D466,863 S	12/2002	Zurwelle et al.
D475,679 S	6/2003	Cooper et al.
D477,811 S	7/2003	Niwa et al.
D480,376 S	* 10/2003	Ma D13/108
D481,672 S	11/2003	Niwa et al.
D484,850 S	1/2004	Johnson
D487,059 S	2/2004	Glasgow et al.
D487,426 S	3/2004	Johnson
D488,438 S	4/2004	Zick et al.
D491,130 S	6/2004	Welbes
D496,038 S	* 9/2004	Floyd D14/356
D501,823 S	2/2005	Johnson et al.
D504,395 S	4/2005	Zeiler et al.
D506,725 S	6/2005	Watson
D507,235 S	7/2005	Rozwadowski et al.
D509,189 S	9/2005	Buck
D511,744 S	11/2005	Hsu et al.
D512,373 S	12/2005	Tsai et al.
D513,730 S	1/2006	Johnson
D515,027 S	* 2/2006	Groh D13/103
D516,504 S	3/2006	Okuda et al.
D519,918 S	* 5/2006	Wilson D13/103
D519,920 S	5/2006	Zick et al.
D522,964 S	6/2006	Watson
D523,807 S	6/2006	Murayama et al.
D524,243 S	* 7/2006	Lee D13/108
D524,728 S	7/2006	Watson
D526,613 S	8/2006	Zeiler et al.
D529,439 S	10/2006	Glasgow et al.
D534,122 S	12/2006	Buck
D535,250 S	1/2007	Watson
D535,253 S	1/2007	Buck
D537,409 S	* 2/2007	Suzuki D13/108
D538,613 S	3/2007	Murray
D539,221 S	3/2007	Johnson et al.
D545,759 S	7/2007	Ino et al.
D545,760 S	7/2007	Concari et al.
7,238,443 B2	7/2007	Sakakibara
D549,169 S	8/2007	Watson
D550,152 S	9/2007	Okuda et al.
D550,614 S	* 9/2007	Fee D13/107
D555,084 S	* 11/2007	Sharma D13/102
D555,086 S	11/2007	Zhang
D556,677 S	12/2007	Watson
D558,670 S	1/2008	Ritterling et al.
D559,175 S	1/2008	Houghton
D562,226 S	2/2008	Uehlein-Proctor et al.
D562,227 S	2/2008	Yamada et al.
D562,230 S	2/2008	Houghton
D564,444 S	3/2008	Johnson et al.
D581,927 S	* 12/2008	Sumii D14/356
D588,535 S	3/2009	Krieger et al.
D588,985 S	3/2009	O'Hern
D589,439 S	3/2009	Van Wambeke
D589,440 S	3/2009	Van Wambeke
D589,441 S	3/2009	Van Wambeke
D590,391 S	* 4/2009	Sumii D14/356
D594,405 S	6/2009	Murray et al.
D597,931 S	8/2009	Aglassinger
D597,932 S	8/2009	Aglassinger
D597,933 S	8/2009	Aglassinger
D597,934 S	8/2009	Aglassinger
D598,018 S	* 8/2009	Sumii D14/301
D600,694 S	* 9/2009	Sumii D14/356
D604,695 S	11/2009	Aglassinger
D605,111 S	12/2009	Schoch
D606,492 S	12/2009	Steinfels
D606,935 S	12/2009	Murayama et al.
D609,636 S	* 2/2010	Jensen D13/108
D610,082 S	2/2010	Sweeney
D610,085 S	2/2010	Sweeney
D610,537 S	2/2010	Sweeney
D615,557 S	* 5/2010	Mayer D15/5
D619,620 S	* 7/2010	Mayer D15/5
D620,772 S	8/2010	Crawley
D633,036 S	2/2011	Murray
D633,037 S	2/2011	Tschopp
D633,442 S	* 3/2011	Charleux D13/110
D640,196 S	6/2011	Shuang et al.
D640,197 S	6/2011	Park et al.
D640,628 S	6/2011	Lopano et al.
D640,975 S	7/2011	Okuda et al.
D642,119 S	7/2011	Baetica et al.
D643,809 S	8/2011	Okuda et al.
D645,818 S	* 9/2011	Guccione D13/108
D652,793 S	1/2012	Tschopp
D656,096 S	* 3/2012	Sasada D13/108
8,138,942 B2	* 3/2012	Otsuka G08C 17/02 340/815.78
D657,307 S	4/2012	Zhao
D658,578 S	5/2012	Davis
D659,093 S	* 5/2012	Schmid D13/108
D661,930 S	* 6/2012	Gebski D13/108
D676,299 S	2/2013	Baron et al.
D677,549 S	3/2013	Baron et al.
D679,651 S	4/2013	Stratford
D680,064 S	4/2013	Tirone et al.
D682,192 S	5/2013	Corbin
D682,194 S	5/2013	Jiang et al.
D684,528 S	6/2013	Murray
D685,730 S	7/2013	Hamm et al.
D687,380 S	8/2013	Tirone et al.
D692,380 S	10/2013	Tirone
D694,182 S	* 11/2013	Lee D13/108
D696,190 S	* 12/2013	Brandtman D13/108
D697,475 S	* 1/2014	Regole D13/108
D699,670 S	2/2014	Cooper
D706,212 S	* 6/2014	Zwierstra D13/107
8,741,474 B2	6/2014	Melnyk et al.
D710,794 S	8/2014	Busschaert et al.
D712,826 S	9/2014	Marino et al.
D718,233 S	* 11/2014	Aumiller D13/108
D718,234 S	* 11/2014	Rautiainen D13/108
D718,236 S	* 11/2014	Murray D13/108
D718,705 S	12/2014	Naksen
D718,712 S	* 12/2014	Aumiller D13/108
D720,289 S	* 12/2014	Chiang D13/108
D725,034 S	* 3/2015	Chen D13/108
D731,409 S	* 6/2015	Erllich D13/102
D731,411 S	* 6/2015	Nakaishi D13/103
D735,131 S	* 7/2015	Akana D13/108
D738,303 S	* 9/2015	Symons D13/108
9,127,658 B2	* 9/2015	Koenen F04B 17/05
D740,750 S	* 10/2015	Mayden D13/108
D741,256 S	* 10/2015	Murphy-Reinhertz D13/108
D747,267 S	* 1/2016	Aumiller D13/108
D749,504 S	* 2/2016	Jeong D13/108

(56)

References Cited

U.S. PATENT DOCUMENTS

D757,014	S *	5/2016	Hahn	D13/108
D761,412	S *	7/2016	Strehle	D23/412
D762,571	S *	8/2016	Lee	D13/108
D763,186	S	8/2016	Breitenbach et al.	
2003/0039880	A1	2/2003	Turner et al.	
2004/0257038	A1	12/2004	Johnson et al.	
2004/0263119	A1	12/2004	Meyer et al.	
2009/0226816	A1 *	9/2009	Yoshida	H01M 4/13 429/304
2013/0330576	A1	12/2013	Kolden et al.	
2014/0106195	A1	4/2014	Milbourne et al.	
2016/0079631	A1 *	3/2016	Flitsch	B29D 11/00817 429/316
2016/0095487	A1 *	4/2016	Koura	A47L 9/2884 15/383
2016/0115933	A1 *	4/2016	Koenen	B60T 7/042 290/38 R
2016/0156206	A1	6/2016	Yamaji et al.	
2016/0226290	A1	8/2016	Johnson et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11