



US00D776177S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,177 S**
Namburu (45) **Date of Patent:** **** Jan. 10, 2017**

- (54) **AIR COOLED PLASMA TORCH ELECTRODE**
- (71) Applicant: **LINCOLN GLOBAL, INC.**, City of Industry, CA (US)
- (72) Inventor: **Praveen K. Namburu**, Mount Pleasant, SC (US)
- (73) Assignee: **LINCOLN GLOBAL, INC.**, City of Industry, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/542,374**
- (22) Filed: **Oct. 13, 2015**
- (51) **LOC (10) Cl.** **15-09**
- (52) **U.S. Cl.**
USPC **D15/144**
- (58) **Field of Classification Search**
USPC D15/144, 144.1, 144.2
See application file for complete search history.

6,750,419 B2 *	6/2004	Roddy	B23K 11/3009	219/117.1
D492,709 S *	7/2004	Horner-Richardson	D15/144	
D499,124 S *	11/2004	Kuraoka	D15/144	
D500,064 S *	12/2004	Kuraoka	D15/144	
D504,142 S *	4/2005	Horner-Richardson	D15/144	
D517,577 S *	3/2006	Conway	D15/144	
D527,401 S *	8/2006	Mizuno	D15/144	
D647,548 S *	10/2011	Savill, Jr.	D15/144	
D720,784 S *	1/2015	Hassan	D15/144	
D721,111 S *	1/2015	Hassan	D15/144	
D744,563 S *	12/2015	Hassan	D15/144	

* cited by examiner

Primary Examiner — Patricia Palasik
 (74) *Attorney, Agent, or Firm* — Perkins Coie LLP

(57) **CLAIM**


The ornamental design for an air cooled plasma torch electrode, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a design for an air cooled plasma torch electrode;
 FIG. 2 is a top plan view of a design for the air cooled plasma torch electrode;
 FIG. 3 is a bottom plan view of a design for the air cooled plasma torch electrode;
 FIG. 4 is a back elevational view of a design for the air cooled plasma torch electrode;
 FIG. 5 is a front side elevational view of a design for the air cooled plasma torch electrode;
 FIG. 6 is a right side elevational view of a design for the air cooled plasma torch electrode; and,
 FIG. 7 is a left side elevational view of a design for the air cooled plasma torch electrode.

1 Claim, 3 Drawing Sheets

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- | | | | |
|----------------|---------|----------------|--------------|
| D231,834 S * | 6/1974 | Gulrich | D15/144 |
| D269,519 S * | 6/1983 | Braun | D15/138 |
| D359,058 S * | 6/1995 | Carkhuff | D15/144 |
| D362,860 S * | 10/1995 | Carkhuff | D15/144 |
| D365,345 S * | 12/1995 | Carkhuff | D15/144 |
| D371,058 S * | 6/1996 | Walters | 219/119 |
| D384,682 S * | 10/1997 | Turner | D15/144 |
| D414,788 S * | 10/1999 | Shintani | D15/144 |
| D417,459 S * | 12/1999 | Shintani | D15/144 |
| D446,530 S * | 8/2001 | Kuraoka | D15/144 |
| D446,795 S * | 8/2001 | Shintani | D15/144 |
| D451,113 S * | 11/2001 | Shintani | D15/144 |
| 6,355,901 B1 * | 3/2002 | Nippert | B23K 11/3018 |
| | | | 219/119 |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7