



US00D776273S

(12) **United States Design Patent**  
**Takemoto**

(10) **Patent No.:** **US D776,273 S**  
(45) **Date of Patent:** **\*\* Jan. 10, 2017**

(54) **SYRINGE CAP**

(71) Applicant: **Terumo Kabushiki Kaisha**,  
Shibuya-ku, Tokyo (JP)

(72) Inventor: **Masafumi Takemoto**, Fujinomiya (JP)

(73) Assignee: **Terumo Kabushiki Kaisha**,  
Shibuya-ku, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/520,901**

(22) Filed: **Mar. 18, 2015**

(30) **Foreign Application Priority Data**

Oct. 3, 2014 (JP) ..... 2014-022090

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/130**

(58) **Field of Classification Search**

USPC D24/127-131, 112-114, 133, 186; 606/181,  
606/185; 604/264, 523-528, 272, 187,  
604/158, 164.01-164.11, 181, 184, 227;  
600/101, 139, 143; 128/200.24, 207.14,  
128/207.15

CPC ..... A61M 5/178; A61M 3/00; A61M 5/20;  
A61M 5/31; A61M 5/3146; A61M  
5/3129; A61M 5/3148; A61M 5/315

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D460,178 S \* 7/2002 Courteix ..... D24/130  
D469,178 S \* 1/2003 Courteix ..... D24/130

D484,243 S \* 12/2003 Ryan ..... D24/130  
D568,468 S \* 5/2008 Sudo ..... D24/130  
D581,046 S \* 11/2008 Sudo ..... D24/130  
D612,493 S \* 3/2010 Claessens ..... D24/130  
7,736,337 B2 \* 6/2010 Diep ..... A61M 25/0097  
604/164.01  
D633,202 S \* 2/2011 Maeda ..... D24/130  
D655,001 S \* 2/2012 Becker ..... D24/130  
D688,796 S \* 8/2013 Niunoya ..... D24/127  
D738,494 S \* 9/2015 Kashmirian ..... D24/127  
D748,778 S \* 2/2016 Shiozaki ..... D24/130  
D751,192 S \* 3/2016 She ..... D24/127

\* cited by examiner

*Primary Examiner* — David Muller

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a syringe cap, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of syringe cap showing my new design, a rear view being a mirror image thereof;  
FIG. 2 is a left side view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a top view thereof, the bottom view being a mirror image thereof;  
FIG. 5 is a cross sectional view thereof taken at line 5-5 shown in FIG. 1;  
FIG. 6 is a perspective view showing a cross section taken at line 5-5 in FIG. 1; and,  
FIG. 7 is an environmental view showing the device in use. The features shown in broken lines depict environmental structure only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7