



US00D776281S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,281 S**
Fyrlund et al. (45) **Date of Patent:** **** Jan. 10, 2017**

(54) **REMOVABLE AUDITORY PROSTHESIS INTERFACE**

(71) Applicants: **Henrik Fyrlund**, Macquarie University (AU); **Daniel Magnusson**, Macquarie University (AU)

(72) Inventors: **Henrik Fyrlund**, Macquarie University (AU); **Daniel Magnusson**, Macquarie University (AU)

(73) Assignee: **Cochlear Limited**, MacQuarie University (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,717**

(22) Filed: **Feb. 26, 2015**

(51) **LOC (10) Cl.** **24-99**

(52) **U.S. Cl.**
USPC **D24/173**

(58) **Field of Classification Search**
USPC D24/173-175; D14/205, 223-226, 249, D14/188; D8/354, 349, 382
CPC ... H04R 2225/025; H04R 25/60; H04R 25/63; H04R 25/67; H04R 25/602; H04R 25/604; H04R 25/608; H04R 25/65; H04R 25/652
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D287,765 S *	1/1987	Topholm	D24/174
4,901,357 A *	2/1990	Albright	H02K 33/16
				381/396
5,677,964 A *	10/1997	Sun	H04R 1/105
				381/189
5,881,158 A *	3/1999	Lesinski	H04R 19/016
				381/174
D505,411 S *	5/2005	Sakai	D14/205

(Continued)

OTHER PUBLICATIONS

Cochlear, Baha Softband, "Features, How it Works", obtained online on Aug. 27, 2015 at: <http://www.cochlear.com/wps/wcm/connect/us/home/treatment-options-for-hearing-loss/bone-conduction-implants/baha-softband>, 4 pgs.

(Continued)

Primary Examiner — Anhdao Doan


(57) **CLAIM**

The ornamental design for a removable auditory prosthesis interface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a removable auditory prosthesis interface on a headband, showing our new design. FIG. 2 is a perspective view of the removable auditory prosthesis interface of FIG. 1. FIG. 3 is a front elevation view of the removable auditory prosthesis interface of FIG. 1. FIG. 4 is a rear elevation view of the removable auditory prosthesis interface of FIG. 1. FIG. 5 is a left elevation view of the removable auditory prosthesis interface of FIG. 1. FIG. 6 is a right elevation view of the removable auditory prosthesis interface of FIG. 1. FIG. 7 is a top plan view of the removable auditory prosthesis interface of FIG. 1; and, FIG. 8 is a bottom plan view of the removable auditory prosthesis interface of FIG. 1. The broken lines immediately adjacent the shaded areas represent the bounds of the claim, while all other broken lines are directed to environment and are for illustrative purposes only. The broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,054,691 B1 * 5/2006 Kuzma H04R 25/606
607/36
D664,944 S * 8/2012 Lee D14/205
D682,430 S * 5/2013 Kasic, II D24/174
D685,771 S * 7/2013 Bertenthal D14/223
8,792,664 B2 * 7/2014 Bewley H04R 25/00
381/322
D720,289 S * 12/2014 Chiang D13/108
8,989,413 B2 * 3/2015 Ridler H04R 25/405
381/312
2003/0125602 A1 * 7/2003 Sokolich H04R 25/606
600/25
2006/0015155 A1 * 1/2006 Charvin H04R 25/606
607/57
2007/0053536 A1 * 3/2007 Westerkull H04R 25/606
381/326
2009/0287278 A1 * 11/2009 Charvin A61N 1/36032
607/57
2010/0042184 A1 * 2/2010 Daglow A61F 2/18
607/57

2010/0179375 A1 * 7/2010 Andersson H04R 25/606
600/25
2013/0064404 A1 * 3/2013 Ridler H04R 25/405
381/313
2013/0110198 A1 * 5/2013 Stoffaneller H04R 25/554
607/57
2014/0012071 A1 * 1/2014 Nagl H04R 25/60
600/25
2014/0117926 A1 * 5/2014 Hwu H02J 7/025
320/108
2014/0275736 A1 * 9/2014 Ruppertsberg H04R 25/606
600/25
2015/0063611 A1 * 3/2015 Hillbratt H04R 25/606
381/312
2015/0163607 A1 * 6/2015 Harte H04R 25/658
381/322

OTHER PUBLICATIONS

Ear Community, Cochlear Oticon and Sophono softband products, obtained online on Aug. 27, 2015 at: <http://earcommunity.com/photos-videos/bahas>, 8 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8