



US00D776287S

(12) **United States Design Patent**  
**Leonard**

(10) **Patent No.:** **US D776,287 S**

(45) **Date of Patent:** **\*\* Jan. 10, 2017**

(54) **POSTURE SUPPORT DEVICE**

(71) Applicant: **Telebrands Corp.**, Fairfield, NJ (US)

(72) Inventor: **Cara Leonard**, Little Falls, NJ (US)

(73) Assignee: **Telebrands Corp.**, Fairfield, NJ (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/528,666**

(22) Filed: **May 29, 2015**

(51) **LOC (10) Cl.** ..... **24-04**

(52) **U.S. Cl.**  
USPC ..... **D24/190; D29/101.1**

(58) **Field of Classification Search**  
USPC ... D24/189-192; D2/828-830; D3/215-217,  
D3/222; D29/101.1  
CPC ..... A45F 3/04; A45F 3/14; A45F 5/00;  
A45F 2003/045  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,443,316	A	6/1948	Israel	
3,116,735	A	1/1964	Geimer	
3,292,616	A	12/1966	Freeman	
5,199,940	A	4/1993	Morris et al.	
D354,813	S	1/1995	Pujals, Jr.	
D367,711	S *	3/1996	Simmons	D24/206
D374,313	S *	10/1996	Munoz	D24/190
6,387,067	B1	5/2002	Hebert	
6,440,094	B1	8/2002	Maas	
D499,806	S	12/2004	Machin et al.	
D501,078	S *	1/2005	Cabana	D29/101.3
7,134,969	B2	11/2006	Citron et al.	
7,578,798	B2	8/2009	Rhee	
D600,859	S *	9/2009	Hill	D29/101.1
7,842,000	B2	11/2010	Lai et al.	
8,047,893	B2	11/2011	Fenske	

8,556,840	B2	10/2013	Burke et al.	
D699,364	S *	2/2014	Chiang	D24/190
D699,365	S	2/2014	Pollack	
8,795,215	B2 *	8/2014	Rossi	A61F 5/026 602/19
D728,051	S *	4/2015	Rhind	D21/805
D732,241	S *	6/2015	Couzyn	D29/101.1
9,370,440	B2 *	6/2016	Ingimundarson	A61F 5/026

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN	200420062303	9/2005
CN	200730132356	2/2008

(Continued)

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Jennifer Watkins

(74) *Attorney, Agent, or Firm* — Cooper & Dunham, LLP

(57) **CLAIM**


The ornamental design for a posture support device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a posture support device in accordance with the present design; FIG. 2 is back perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a back view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a left side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

The broken lines in the drawings are for the purpose of illustrating stitching and form no part of the claim. The unevenly dashed broken lines in the figures showing a human torso are for the purpose of illustrating environment and form no part of the claim.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2010/0318010 A1\* 12/2010 Sandifer ..... A61F 5/026  
602/19  
2011/0152737 A1 6/2011 Burke et al.  
2012/0078149 A1 3/2012 Azimzadeh  
2012/0278966 A1 11/2012 Ju

FOREIGN PATENT DOCUMENTS

CN 200720093793 3/2008  
CN 200720158365 10/2008  
CN 200820204021 9/2009  
WO WO 2013093403 A1 6/2000  
WO WO 2006095272 A2 9/2005

\* cited by examiner

FIG. 1



FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8

