



US00D776339S

(12) **United States Design Patent**
Rutherford et al.

(10) **Patent No.:** **US D776,339 S**
(45) **Date of Patent:** **** Jan. 10, 2017**

(54) **WATER PIPE BASE PROTECTOR AND ACCESSORY HOLDER**

(71) Applicants: **Shane Rutherford**, Cardiff, CA (US);
Angelic Rutherford, Cardiff, CA (US)

(72) Inventors: **Shane Rutherford**, Cardiff, CA (US);
Angelic Rutherford, Cardiff, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/497,737**

(22) Filed: **Jul. 28, 2014**

(51) **LOC (10) Cl.** **27-06**

(52) **U.S. Cl.**
USPC **D27/172**

(58) **Field of Classification Search**
USPC D27/162, 167-168, 172, 180, 185-186,
D27/189, 190; 131/173, 191, 330, 348;
138/104, 149, 167-169; D8/354, 356,
D8/380; D7/607, 387, 624.2-624.3;
D9/444; 220/739; 312/235.8
CPC A45F 5/02; A45F 3/00; A63B 27/00;
A24F 1/30; A24B 13/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D10,725 S * 6/1878 Cussen D27/185
264,326 A * 9/1882 Moore B65D 85/1009
206/250
1,462,291 A * 7/1923 McCrink A61J 9/08
215/11.6
2,522,381 A * 9/1950 Kramer A61J 9/08
215/11.6
4,207,918 A * 6/1980 Burns F16L 59/168
137/375
4,556,082 A * 12/1985 Riley F16L 59/168
137/375
5,400,807 A 3/1995 Newman

D390,002 S * 2/1998 Brizard D27/189
5,865,223 A * 2/1999 Cornford B65D 90/24
137/312
5,934,100 A * 8/1999 Hornick B65D 81/3883
62/371
6,453,908 B1 * 9/2002 Caballero A24F 1/30
131/173
6,640,825 B2 * 11/2003 McAtarian G01M 3/04
137/312
6,729,758 B1 * 5/2004 Carter B65D 29/02
220/592.19
6,907,907 B2 * 6/2005 Maida F16L 59/106
138/149
7,153,025 B1 * 12/2006 Jackson A45C 7/0059
224/246
D544,312 S * 6/2007 Dill-Schmidt D7/624.3
7,404,405 B1 7/2008 Mehio
(Continued)

Primary Examiner — Eric Goodman
Assistant Examiner — Amy Wierenga
(74) *Attorney, Agent, or Firm* — QuickPatents, LLC;
Kevin Prince



(57) **CLAIM**

We claim the ornamental design for a water pipe base protector and accessory holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a water pipe base protector and accessory holder, showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right-side elevational view thereof; FIG. 5 is a left-side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is an exploded perspective view thereof. The broken lines represent stitching, and are part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D605,900	S	*	12/2009	Bodum	D7/387
7,815,069	B1	*	10/2010	Bellofatto	B65D 81/3886
						190/903
D643,693	S	*	8/2011	Jama	D7/607
D674,664	S	*	1/2013	Collie	D7/607
8,387,624	B1		3/2013	Ducker		
D732,899	S	*	6/2015	Seiders	D3/246
D744,618	S	*	12/2015	Gooding	D23/259
2007/0170189	A1		7/2007	Carlile		
2013/0264350	A1		10/2013	Handlon		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8