



US00D776367S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,367 S**  
**Parker et al.** (45) **Date of Patent:** **\*\* Jan. 10, 2017**

(54) **ANIMAL CARRYING APPARATUS**

(71) Applicants: **Thomas Grey Parker**, Los Angeles, CA (US); **Ann Henson**, Argyle, TX (US)

(72) Inventors: **Thomas Grey Parker**, Los Angeles, CA (US); **Ann Henson**, Argyle, TX (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/543,830**

(22) Filed: **Oct. 28, 2015**

(51) **LOC (10) Cl.** ..... **31-02**

(52) **U.S. Cl.**  
USPC ..... **D30/109**

(58) **Field of Classification Search**  
USPC ..... D30/108–109, 113–118; D3/213, D3/245–246  
CPC ..... A01K 1/00; A01K 1/02; A01K 1/03; A01K 1/033; A01K 1/034; A01K 1/035; A01K 29/00; A01K 1/0254; A45F 3/04  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,017,721	A *	2/1912	Williams	.....	B65F 1/12 232/43.1
1,094,250	A *	4/1914	Reese	.....	A45F 3/04 224/630
1,137,303	A *	4/1915	Carpenter	.....	A45F 3/04 224/630
1,141,941	A *	6/1915	Danz, 2d	.....	A45F 3/04 224/637
2,163,501	A *	6/1939	Speicher	.....	A01D 46/22 224/640
3,850,144	A *	11/1974	Springer	.....	A01K 1/029 119/497
D246,940	S *	1/1978	Sabol	.....	D3/246

D290,176	S *	6/1987	Demeuse	.....	D30/109
D294,195	S *	2/1988	Starks	.....	D3/246
4,815,640	A *	3/1989	Johnson	.....	A45C 3/00 224/258
5,176,102	A *	1/1993	Tracy	.....	A01K 1/029 119/497
D332,865	S *	2/1993	Wilmink	.....	224/158
5,201,446	A *	4/1993	Martin	.....	A01D 46/22 206/523
D360,492	S *	7/1995	Horn	.....	D30/109
5,573,156	A *	11/1996	McConnell	.....	A47D 13/02 D3/213
D392,459	S *	3/1998	Jones	.....	D3/245
D407,213	S *	3/1999	McConnell	.....	D3/213

(Continued)

*Primary Examiner* — Cathy Anne MacCormac  
(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC


(57) **CLAIM**

The ornamental design for an animal carrying apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is an enlarged top, front perspective view of an animal carrying apparatus;  
FIG. 2 is a reduced front elevation view thereof;  
FIG. 3 is a rear elevation view of FIG. 2;  
FIG. 4 is a left side elevation view of FIG. 2;  
FIG. 5 is a right side elevation view of FIG. 2;  
FIG. 6 is a top plan view of FIG. 2;  
FIG. 7 is a bottom plan view of FIG. 2; and,  
FIG. 8 is an enlarged top, front perspective view thereof.  
The evenly spaced broken lines shown in the drawings represent claimed stitching and form part of the claimed design.  
The dot-dot-dashed broken lines shown in the drawings depict environmental subject matter and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,481,606 B2 \* 11/2002 Pickett ..... A01K 1/0254  
D30/109  
D498,884 S \* 11/2004 Metzger ..... D3/246  
8,231,037 B2 \* 7/2012 Sacks ..... A45C 13/30  
224/153  
D668,043 S \* 10/2012 Quehl ..... D3/245  
D707,964 S \* 7/2014 Clark ..... D3/246

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG.8