



US00D776376S

(12) **United States Design Patent**
Geyer et al.

(10) **Patent No.:** **US D776,376 S**
(45) **Date of Patent:** **** Jan. 10, 2017**

(54) **DOOR OF WASHING AND/OR DRYING MACHINE**

(71) Applicant: **BSH Bosch und Siemens Hausgeräte GmbH**, Munich (DE)

(72) Inventors: **Johannes Geyer**, Haar (DE); **Florian Metz**, Unterföhring (DE); **Roger Münstermann**, München (DE); **Carsten Weber**, Aalen (DE)

(73) Assignee: **BSH Hausgeräte GmbH**, Munich (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/486,762**

(22) Filed: **Apr. 2, 2014**

Related U.S. Application Data

(62) Division of application No. 29/462,540, filed on Aug. 6, 2013, now Pat. No. Des. 713,610, which is a (Continued)

(30) **Foreign Application Priority Data**

Sep. 2, 2011 (EM) 001293732

(51) **LOC (10) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/25**

(58) **Field of Classification Search**
USPC D32/1, 5, 6, 8, 10, 25
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,113,562 A 5/1992 Studt
D456,572 S 4/2002 Resuello et al.
(Continued)

OTHER PUBLICATIONS

Geyer et al., Parent U.S. Appl. No. 29/462,540, filed Aug. 6, 2013.

Primary Examiner — Michael A. Pratt

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye P.C.

(57) **CLAIM**

The ornamental design for a door of washing and/or drying machine, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a door of washing and/or drying machine according to a first embodiment showing our new ornamental design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a left hand side view thereof;

FIG. 8 is a front perspective view of a door of washing and/or drying machine according to a second embodiment showing our new ornamental design;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;



FIG. 13 is a right side view thereof; and,

FIG. 14 is a left hand side view thereof.

The use of stippling in various figures, e.g., FIGS. 1 and 2, indicates a contrast in appearance/material.

The broken line showing of portions of the door of washing and/or drying machine is included for the purpose of illustrating environment and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



Related U.S. Application Data

division of application No. 29/416,612, filed on Mar. 1, 2012, now Pat. No. Des. 690,479.

(58) **Field of Classification Search**

CPC D06F 58/04; D06F 39/14; D06F 58/26; D06F 37/28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D457,991 S 5/2002 Baldwin et al.
 D519,247 S 4/2006 Kim et al.
 D520,686 S 5/2006 Jeon et al.
 D536,143 S 1/2007 Takase et al.
 D549,894 S 8/2007 Wilday
 D550,409 S 9/2007 Wilday
 D551,401 S 9/2007 Jeon et al.
 D571,510 S 6/2008 Cadamuro
 D577,162 S 9/2008 Shail et al.
 D585,164 S 1/2009 Kosukegawa et al.
 D588,757 S * 3/2009 Park D32/6
 D589,661 S * 3/2009 Oh D32/6
 D595,908 S 7/2009 Park et al.
 D606,715 S 12/2009 Matsusaki
 D613,916 S * 4/2010 Montgomery D32/6
 D616,162 S 5/2010 Park et al.
 D618,864 S * 6/2010 Jeon D32/6
 D628,755 S * 12/2010 Helot D32/5
 D631,624 S 1/2011 Chung et al.
 D636,953 S * 4/2011 Lee D32/6
 7,946,054 B2 5/2011 Dittmer et al.
 D640,020 S 6/2011 Helot et al.
 7,987,616 B2 * 8/2011 Bae
 D653,006 S * 1/2012 Takahashi D32/6
 D653,822 S * 2/2012 Geyer D32/6
 D659,307 S * 5/2012 Geyer D32/6
 D665,543 S * 8/2012 Kim D32/6
 8,266,816 B2 9/2012 Lim
 D675,793 S * 2/2013 Geyer D32/6
 D688,013 S * 8/2013 Kim D32/6
 D688,427 S * 8/2013 Meda D32/6

D688,429 S * 8/2013 Meda D32/25
 D688,430 S * 8/2013 Meda D32/25
 8,499,473 B2 * 8/2013 Dal Ben
 8,516,716 B2 * 8/2013 Dal Ben D06F 58/04
 34/601
 D690,479 S 9/2013 Geyer et al.
 D692,194 S * 10/2013 Meda D32/6
 D693,973 S * 11/2013 Geyer D32/6
 D694,966 S * 12/2013 Borjesson D32/6
 D695,472 S * 12/2013 Borjesson D32/6
 D696,478 S * 12/2013 Geyer D32/6
 8,607,473 B2 * 12/2013 Choi D06F 39/14
 16/412
 D697,678 S * 1/2014 Jeon D32/6
 D698,508 S * 1/2014 Cho D32/25
 8,631,586 B2 * 1/2014 Leroy D06F 58/26
 34/595
 D701,009 S * 3/2014 Jinnam D32/6
 8,661,707 B2 * 3/2014 Dittmer 34/606
 D703,883 S * 4/2014 Ha D32/6
 D703,884 S * 4/2014 Ha D32/6
 D703,885 S * 4/2014 Ha D32/6
 D706,999 S * 6/2014 Cho D32/6
 D712,603 S * 9/2014 Geyer D32/6
 D714,499 S * 9/2014 Sin D32/6
 D714,502 S * 9/2014 Jeon D32/25
 8,844,328 B2 * 9/2014 Loss D06F 37/28
 312/326
 D730,602 S * 5/2015 Choi D32/25
 D731,126 S * 6/2015 Ha D32/6
 D731,127 S * 6/2015 Ha D32/6
 D731,128 S * 6/2015 Ha D32/6
 D731,129 S * 6/2015 Ha D32/6
 D731,131 S * 6/2015 Ha D32/25
 D731,718 S * 6/2015 Borjesson D32/6
 D731,719 S * 6/2015 Borjesson D32/6
 D732,250 S * 6/2015 Borjesson D32/6
 D732,767 S * 6/2015 Ha D32/25
 2006/0265899 A1 11/2006 Renzo
 2008/0189974 A1 8/2008 Dittmer et al.
 2009/0120140 A1 5/2009 Choi et al.
 2011/0023559 A1 2/2011 Schone

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D776,376 S
APPLICATION NO. : 29/486762
DATED : January 10, 2017
INVENTOR(S) : Johannes Geyer et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item (62), page 2 in the Related U.S. Application Data, please change "29/416,612" to --29/414,612--.

Signed and Sealed this
Second Day of May, 2017



Michelle K. Lee
Director of the United States Patent and Trademark Office