



US00D776488S

(12) **United States Design Patent**
Brashears

(10) **Patent No.:** **US D776,488 S**
(45) **Date of Patent:** **** Jan. 17, 2017**

- (54) **HANDLE WITH HOOK**
- (71) Applicant: **Brenda Kay Brashears**, San Clemente, CA (US)
- (72) Inventor: **Brenda Kay Brashears**, San Clemente, CA (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/474,942**
- (22) Filed: **Mar. 23, 2015**
- (51) **LOC (10) Cl.** **07-06**
- (52) **U.S. Cl.**
USPC **D7/620; D7/393; D3/202; D3/215; D24/199**
- (58) **Field of Classification Search**
USPC D7/507, 509, 510, 511, 513, 523, 529, D7/532, 533, 534, 300, 300.1, 591, 608, D7/392, 392.1, 396.1, 396.2, 900, 394, D7/393, 620; D9/500, 501, 502, 503, 504, D9/516, 517, 525, 435, 436, 440, 442, D9/443, 449, 434, 556, 438, 538, 447, D9/445, 563, 554, 550, 546, 545, 446, D9/455, 415; D3/202, 215, 387; 222/480, 220/507, 546, 548, 553; 210, 212.5, 703, 220/709, 711, 523, 288, 710.5, 717, 220/200; 215/12.1, 216, 11.4, 11.5, 11.1; 40/310, 324; D19/20; D20/18, 19, 22; D8/394; D24/197, 199
CPC . B65D 23/02; B65D 39/0052; B65D 39/0082; B65D 39/0076; B65D 39/007; B65D 43/0277; B65D 43/0279; B65D 43/0285; B65D 43/12; B65D 23/06; A61J 2205/20; A61J 2200/72; A61J 9/02; A61J 9/08; B67D 1/16
See application file for complete search history.

- D256,279 S * 8/1980 Huggins D27/104
- D299,804 S * 2/1989 Normandin D7/620
- D303,057 S * 8/1989 Smith D7/620
- 4,915,337 A * 4/1990 Iwasaki B60N 3/103
224/482
- 5,265,834 A * 11/1993 Daniels A61J 9/06
24/302
- D358,303 S * 5/1995 Guarrera D12/411
- 5,490,618 A * 2/1996 Davidson B44D 3/14
224/148.4
- 5,664,712 A * 9/1997 Smrt A45F 5/02
224/250
- D392,081 S * 3/1998 Salvucci, Sr. 248/311.2
- D398,080 S * 9/1998 Nealon D29/100
- 5,862,927 A * 1/1999 Tebeau A61J 9/00
215/11.1
- 6,138,882 A * 10/2000 Buettner A45C 13/00
190/102
- D438,626 S * 3/2001 Broussard D24/199
- 6,553,944 B1 * 4/2003 Allen A01K 27/00
119/769
- D540,031 S * 4/2007 Bouchard D3/202
- D597,788 S * 8/2009 Ellis D7/387
- D625,512 S * 10/2010 Blaney D3/215
- D633,215 S * 2/2011 Steele D24/190

(Continued)

Primary Examiner — Marianne Pandozzi
Assistant Examiner — Jae Liang

(57) **CLAIM**

The ornamental design for a handle with hook, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a handle with hook in use with a bottle showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof; the left side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in the drawing depict environmental subject matter only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,457,972 A * 1/1949 Bailey A61J 9/06
211/74
- 3,227,411 A * 1/1966 Treutler E06C 7/14
248/154



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|-------------------|--------|--------------|----------------------|
| D657,134 S * | 4/2012 | Tepper | D3/215 |
| D701,966 S * | 4/2014 | Owada | D24/199 |
| D704,433 S * | 5/2014 | Heap | D3/213 |
| D725,468 S * | 3/2015 | Miller | D9/434 |
| D731,253 S * | 6/2015 | Conant | D7/620 |
| 2006/0163301 A1 * | 7/2006 | Rhodes | A61J 9/06 224/409 |

* cited by examiner




Fig. 1

Fig. 4




Fig. 3




Fig. 2




Fig. 6




Fig. 5

