



US00D776507S

(12) **United States Design Patent** (10) **Patent No.:** **US D776,507 S**
Faverio et al. (45) **Date of Patent:** **** Jan. 17, 2017**

(54) **ROTATABLE CRANK TOOL**

(71) Applicant: **EASY AWNING CRANK LLC**, Flat Rock, MI (US)

(72) Inventors: **Gregory George Faverio**, Flat Rock, MI (US); **Gino Faverio**, Canton, MI (US); **Paul Edward Faverio, Jr.**, Gibraltar, MI (US)

(73) Assignee: **Easy Awning Crank LLC**, Flat Rock, MI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/519,835**

(22) Filed: **Mar. 9, 2015**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/70**

(58) **Field of Classification Search**

USPC D8/14, 44, 59, 60, 70, 90, 98, 314, 349, D8/358, 359, 360, 380, 382, 499; D12/96, 106, D12/217, 223, 400; D24/147; D32/35, 40, 46, D32/49; 29/264, 227, 240.5; 81/441, 53.2; 172/13, 18, 19, 22, 25; 408/225, 227, 211
CPC .. B23B 51/0045; F16B 13/002; F16B 13/065; F16B 21/10; F16B 2013/007; Y10T 408/5583; B66D 3/006; B66D 3/18; B66D 3/26; B66D 3/02; B66D 3/14
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,345,027 A 6/1920 Rippe
4,209,903 A * 7/1980 Owens A01G 3/06 294/50.7
4,311,288 A * 1/1982 Galland B60P 7/0846 242/399

D334,577 S * 4/1993 Wheat D15/139
D345,288 S * 3/1994 Hubal D12/106
D379,578 S * 6/1997 Daniels D8/70
D400,411 S * 11/1998 Ambrose D8/14
D419,414 S * 1/2000 Pellak D15/138
D424,901 S * 5/2000 Landry D8/107
6,102,637 A * 8/2000 Mocci B60P 7/083 410/100
D440,476 S * 4/2001 Del Gaone D8/14
6,398,147 B1 * 6/2002 Fredrickson B65H 54/553 242/390.8
6,398,470 B1 * 6/2002 Mosley B60P 7/0853 410/100
D475,589 S * 6/2003 Wilkinson D8/29

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Carrier Blackman & Associates, P.C.; Joseph P. Carrier; William D. Blackman


(57) **CLAIM**

The ornamental design for a rotatable crank tool, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevational view of a rotatable crank tool showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan plain view thereof;
FIG. 7 is perspective view thereof; and,
FIG. 8 is an enlargement view thereof, of which the area being enlarged is the bottom end of the tool as indicated by the broken line reference circle in FIG. 7.
In FIG. 7, the broken line showing of the drill is provided for the purpose of illustrating environmental structure and forms no part of the claimed design. Furthermore, in FIGS. 7 and 8, the broken line circle is provided as a graphical symbol to indicate the area of enlargement and also forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D477,763	S	*	7/2003	Hebert		D8/70
6,705,597	B1	*	3/2004	Reilly		B60P 7/0846
						254/223
6,863,430	B2	*	3/2005	Berube		B01F 13/002
						366/129
D526,173	S	*	8/2006	Hudson		D8/44
7,141,074	B2	*	11/2006	Fanger		A61B 17/1617
						606/80
D576,007	S	*	9/2008	Murdock		D8/70
D663,185	S	*	7/2012	Denning		D8/70
D696,703	S	*	12/2013	Tsai		D15/138
D703,814	S	*	4/2014	Bolia		D24/133
D704,335	S	*	5/2014	Bolia		D24/133
D750,946	S	*	3/2016	Hardman		D8/44
D751,880	S	*	3/2016	Howell		D8/70

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5



Fig. 6






Fig. 7




Fig. 8