



US00D776652S

(12) **United States Design Patent**  
**Kolle et al.**

(10) **Patent No.:** **US D776,652 S**  
(45) **Date of Patent:** **\*\* Jan. 17, 2017**

(54) **ELECTRONIC DEVICE**  
(71) Applicant: **INTEL CORPORATION**, Santa Clara, CA (US)  
(72) Inventors: **Lily Kolle**, Hillsboro, OR (US); **Jered H. Wikander**, Portland, OR (US)  
(73) Assignee: **Intel Corporation**, Santa Clara, CA (US)

D607,882 S \* 1/2010 Nakada ..... D14/315  
D615,539 S \* 5/2010 Jen ..... D14/315  
7,986,517 B2 \* 7/2011 Jiang ..... G06F 1/162  
361/679.27  
D646,677 S \* 10/2011 Moon ..... D14/315

(Continued)

*Primary Examiner* — Freda S Nunn  
(74) *Attorney, Agent, or Firm* — International IP Law Group, PLLC

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/513,117**

The ornamental design for an electronic device, as shown and described.

(22) Filed: **Dec. 26, 2014**

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/315**

**DESCRIPTION**

(58) **Field of Classification Search**  
USPC . D14/315-327; D18/1, 2, 7, 11; 235/145 A, 235/145 R; 341/22, 23; 345/104, 156, 345/168, 169, 173; 361/679.08, 679.09, 361/679.11, 679.26, 679.27  
CPC ..... G06F 1/16; G06F 1/1616; G06F 1/1626; G06F 1/1632; G06F 1/1613; G06F 1/1601; G06F 1/1618; G06F 1/162; H01R 35/02; H03M 11/00; G09B 13/04; H03K 17/94; G09G 5/00; F16M 11/10; H05K 5/00

FIG. 1 is a top view of an electronic device according to one embodiment;  
FIG. 2 is a bottom view of the electronic device from FIG. 1;  
FIG. 3 is a side view of the electronic device from FIG. 1;  
FIG. 4 is an alternate side view of the electronic device from FIG. 1;  
FIG. 5 is a front view of the electronic device from FIG. 1;  
FIG. 6 is a back view of the electronic device from FIG. 1;  
FIG. 7 is a perspective view of the electronic device from FIG. 1;  
FIG. 8 is another perspective view of the electronic device from FIG. 1;  
FIG. 9 is a side view of the closed electronic device from FIG. 1;  
FIG. 10 is a perspective view of the closed electronic device from FIG. 1; and,  
FIG. 11 is a perspective view of the electronic device from FIG. 1 showing the display separated from the base.  
Broken lines shown in the figures depict environment only, and form no part of the claimed design.


See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,103,376 A \* 4/1992 Blonder ..... G06F 1/1616  
16/229  
5,268,816 A \* 12/1993 Abell, Jr. .... G06F 1/162  
361/679.09  
6,067,224 A \* 5/2000 Nobuchi ..... G06F 1/1688  
361/679.21  
D499,727 S \* 12/2004 Kondo ..... D14/318

**1 Claim, 11 Drawing Sheets**




(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,089,748 B2 \* 1/2012 Chiang ..... G06F 1/1616  
361/679.01  
D684,155 S \* 6/2013 Hsu ..... D14/374  
D705,774 S \* 5/2014 Hung ..... D14/316


\* cited by examiner




100  
FIG. 1




200  
FIG. 2




300  
FIG. 3



400  
FIG. 4




500  
FIG. 5




600  
FIG. 6







700  
FIG. 7




800  
FIG. 8



900  
FIG. 9



1000  
FIG. 10



1100  
FIG. 11