



US00D777043S

(12) **United States Design Patent**
Temple

(10) **Patent No.:** **US D777,043 S**
(45) **Date of Patent:** **** Jan. 24, 2017**

- (54) **FLEXIBLE POUCH**
- (71) Applicant: **Innovation Abounds LLC**, Meadow Bridge, WV (US)
- (72) Inventor: **Jesica Temple**, Meadow Bridge, WV (US)
- (73) Assignee: **Innovation Abounds LLC.**, Meadow Bridge, WV (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/543,606**

(22) Filed: **Oct. 27, 2015**

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/707**

(58) **Field of Classification Search**
USPC D9/702-714, 720-722, 414, 434-435, D9/696, 716, 771, 447, 516-517, D9/738-747, 544, 520-521; D24/118, D24/207, 108; 383/6, 9, 22, 96, 61.1, 383/80-81, 104, 901, 63, 203, 107, 383/119-120, 123, 61.2, 44; 220/675, 220/495.03; 215/381-385, 400, 328, 316; 206/484; D3/202; 428/34.3; 222/92, 215, 222/95, 107; 604/408, 403, 415
CPC B65D 41/12; B65D 41/00; B65D 41/02; B65D 41/04; B65D 41/26; B65D 41/34; B65D 1/02; B65D 1/00; B65D 1/32; B65D 1/023; B65D 11/00; B65D 11/04; B65D 11/20; B65D 23/00; A61J 1/10; A61J 1/2089; A61J 1/201; A61J 1/2096

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,980,225 A 9/1976 Kan
- D304,546 S * 11/1989 Cattach D24/118
- 4,954,124 A 9/1990 Erickson et al.

- 5,059,036 A 10/1991 Richison et al.
- D396,630 S * 8/1998 Lerner D9/709
- 6,076,968 A 6/2000 Smith et al.
- D434,976 S 12/2000 Berman
- D436,847 S 1/2001 Berman
- D436,848 S 1/2001 Berman
- D437,549 S 2/2001 Berman
- D474,683 S 5/2003 Berman
- D490,303 S 5/2004 Berman
- D497,544 S 10/2004 Berman
- D502,092 S 2/2005 Berman
- D504,610 S 5/2005 Berman
- D519,848 S * 5/2006 Kirou D9/707
- D532,703 S 11/2006 Wild

(Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**


The ornamental design for a flexible pouch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of the flexible pouch showing my new design;
 FIG. 2 is a front elevation view; the rear elevation view being a mirror image thereof;
 FIG. 3 is a right side elevation view, the left side elevation view being a mirror image thereof;
 FIG. 4 is a top view thereof;
 FIG. 5 is a bottom view thereof;
 FIG. 6 is a perspective view of the second embodiment of the flexible pouch;
 FIG. 7 is a front elevation view thereof;
 FIG. 8 is a rear elevation view thereof;
 FIG. 9 is a right side elevation view thereof;
 FIG. 10 is a left side view elevation thereof;
 FIG. 11 is a top view thereof; and,
 FIG. 12 is a bottom view thereof.

The broken line showing of portions of the claimed design is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

7,306,095	B1	12/2007	Bourque et al.	
D560,122	S	1/2008	Fuchs et al.	
D563,243	S	* 3/2008	Murray	D9/710
D573,897	S	* 7/2008	Berman	D9/708
D583,255	S	12/2008	Castor	
D593,870	S	6/2009	Wehling	
D609,112	S	* 2/2010	Koyanagi	D9/708
D619,906	S	* 7/2010	Carignan	D9/708
D638,720	S	5/2011	Schwartz et al.	
D656,038	S	3/2012	Molayem	
D664,863	S	* 8/2012	Kristoff	D9/709
D667,313	S	9/2012	Hensen	
D686,089	S	7/2013	Murray	
D701,125	S	3/2014	Propper	
D721,595	S	1/2015	Kilber et al.	
D724,954	S	* 3/2015	Niggemyer	D9/708
D738,223	S	* 9/2015	Chan	D9/708
D747,656	S	* 1/2016	May	D9/708

* cited by examiner

Fig. 1






Fig. 2




Fig. 3




Fig. 4



Fig. 5

Fig. 6




Fig. 7




Fig. 8




Fig. 9



Fig. 10




Fig. 11




Fig. 12

