



US00D777092S

(12) **United States Design Patent** (10) **Patent No.:** **US D777,092 S**  
**Leconte et al.** (45) **Date of Patent:** **\*\* Jan. 24, 2017**

(54) **TIRE**  
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(72) Inventors: **Armand Rene Gabriel Leconte, Bigonville (LU); Pascale de Briey-Terlinden, Attert (BE)**  
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/532,934**  
(22) Filed: **Jul. 13, 2015**  
(51) **LOC (10) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/564**  
(58) **Field of Classification Search**  
USPC ..... D12/533-567  
CPC ..... B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17  
See application file for complete search history.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
D379,449 S 5/1997 Graas et al. .... D12/151  
D379,787 S 6/1997 Maxwell et al. .... D12/147  
D429,194 S 8/2000 Heinen et al. .... D12/147  
D429,478 S 8/2000 Heinen et al. .... D12/147  
D451,068 S 11/2001 Heinen et al. .... D12/547  
D451,868 S \* 12/2001 Graas ..... D12/560  
D455,116 S 4/2002 Graas et al. .... D12/533  
D504,106 S 4/2005 de Briey-Terlinden et al. .... D12/553  
D504,387 S \* 4/2005 Welbes ..... D12/549  
D504,866 S 5/2005 Collette et al. .... D12/553  
D505,112 S 5/2005 Heinen et al. .... D12/567

D533,131 S 12/2006 Fontaine et al. .... D12/588  
D589,874 S 4/2009 Fontaine et al. .... D12/564  
D591,220 S \* 4/2009 Minagawa ..... D12/549  
(Continued)



*Primary Examiner* — Robert M Spear  
*Assistant Examiner* — John A Voytek  
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**  
The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof;  
FIG. 4 is an enlarged fragmentary front elevational view thereof;  
FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is a mirror image thereof; and,  
FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.  
In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.  
The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

**1 Claim, 6 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D591,221 S	4/2009	Fontaine et al. ....	D12/563	D641,305 S *	7/2011	de Briey-Terlinden ....	D12/547
D592,588 S	5/2009	Heinen et al. ....	D12/564	D651,163 S *	12/2011	Shimizu .....	D12/560
D595,639 S	7/2009	de Briey-Terlinden ....	D12/553	D670,235 S	11/2012	de Briey-Terlinden ....	D12/567
D595,640 S	7/2009	de Briey-Terlinden ....	D12/564	D702,625 S	4/2014	Leconte et al. ....	D12/564
D596,109 S	7/2009	de Briey-Terlinden ....	D12/553	D702,626 S	4/2014	de Briey-Terlinden ....	D12/567
D597,475 S	8/2009	Heinen et al. ....	D12/553	D715,729 S	10/2014	Fontaine et al. ....	D12/566
D597,476 S	8/2009	de Briey-Terlinden ....	D12/553	D716,720 S	11/2014	Seng et al. ....	D12/563
D597,929 S *	8/2009	Diensthuber .....	D12/566	D721,323 S	1/2015	Caron et al. ....	D12/563
D600,195 S	9/2009	Fontaine et al. ....	D12/564	D721,638 S	1/2015	Knispel .....	D12/564
D601,946 S	10/2009	Fontaine et al. ....	D12/553	D721,639 S	1/2015	Caron et al. ....	D12/565
D606,007 S	12/2009	Fontaine et al. ....	D12/564	D722,554 S	2/2015	Knispel et al. ....	D12/564
D610,964 S	3/2010	Dixon et al. ....	D12/552	D723,453 S	3/2015	Knispel et al. ....	D12/563
D635,912 S	4/2011	Knispel .....	D12/564	D730,811 S *	6/2015	Parr .....	D12/545
D638,350 S	5/2011	Knispel .....	D12/564	D739,810 S *	9/2015	Reim .....	D12/547
D638,779 S	5/2011	Salvan et al. ....	D12/564	D745,844 S *	12/2015	Raatikainen .....	D12/545
D640,184 S	6/2011	de Briey-Terlinden ....	D12/553	D754,058 S *	4/2016	Caron .....	D12/534
D640,966 S	7/2011	Fontaine et al. ....	D12/563	D756,292 S *	5/2016	Yoon .....	D12/545
				D756,895 S *	5/2016	Pons .....	D12/545
				D756,896 S *	5/2016	Leconte .....	D12/564

\* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4



FIG-5




FIG-6