



US00D777563S

(12) **United States Design Patent**  
**LaCastro**

(10) **Patent No.:** **US D777,563 S**

(45) **Date of Patent:** **\*\* Jan. 31, 2017**

- (54) **TENSION CURTAIN ROD SUPPORT**
- (71) Applicant: **Ruthann LaCastro**, Waterford, PA (US)
- (72) Inventor: **Ruthann LaCastro**, Waterford, PA (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/536,694**
- (22) Filed: **Aug. 19, 2015**
- (51) **LOC (10) Cl.** ..... **08-05**
- (52) **U.S. Cl.**  
USPC ..... **D8/376; D6/580**
- (58) **Field of Classification Search**  
USPC .... D8/16, 19, 349, 354, 355, 363, 364, 366, D8/370-373, 376, 380, 382, 384-386; D6/553, D6/550, 323, 563, 576, 580; D23/223, 238, D23/252, 257; D11/208; D20/15, 41, 42; D12/416; D25/38.1, 39, D25/43; 210, 228; D13/133, 146-148, D13/154, 184, 199  
CPC ..... A47H 1/142; A47H 1/122; A47H 1/102; A47H 1/14; A47H 1/124; A47H 1/02; A47H 13/01; A47H 13/04; A47H 1/022; A47H 2001/021; A47H 2001/006; A47H 2023/003; A47H 2/00; A47H 15/02; A47H 1/08; A47H 2001/042; A47H 7/02; A47H 1/104; A47H 1/13; A47H 2001/047  
See application file for complete search history.

1,374,026 A	4/1921	Nelson	
D252,541 S *	8/1979	Harper	D11/104
4,378,215 A *	3/1983	Sparks	G09B 21/003 428/13
D288,076 S *	2/1987	Wheeler	D11/160
D343,111 S	1/1994	Golin	
D358,756 S *	5/1995	Golin	D8/363
D363,846 S *	11/1995	Cooney	D6/534
D363,876 S *	11/1995	Morissette	D3/328
5,670,221 A	9/1997	Bried et al.	
D386,530 S *	11/1997	Pesta	D20/33
D408,717 S *	4/1999	McGinnis, Jr.	D6/550
6,499,708 B1	12/2002	Cowen	
6,543,629 B1	4/2003	Samelson	
D489,772 S *	5/2004	Fine	D21/483
D531,859 S *	11/2006	Bogumil	D7/625
D585,268 S	1/2009	Woolley	
D623,087 S *	9/2010	Partida	D11/160
D703,970 S *	5/2014	Tran	D6/552

\* cited by examiner

*Primary Examiner* — Robert M Spear  
*Assistant Examiner* — Eliza Bennett-Hattan

(57) **CLAIM**


The ornamental design for a tension curtain rod support, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a tension curtain rod support showing my new design; FIG. 2 is a rear view of the tension curtain rod support; FIG. 3 is a left side view of the tension curtain rod support; FIG. 4 is a right side view of the tension curtain rod support; FIG. 5 is a top view of the tension curtain rod support; and, FIG. 6 is a bottom view of the tension curtain rod support. The broken lines in the drawing depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D26,700 S \* 3/1897 Bersbach ..... D10/89  
805,570 A 11/1905 Maldaner






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6