



US00D777656S

(12) **United States Design Patent** (10) **Patent No.:** **US D777,656 S**  
**Maxwell et al.** (45) **Date of Patent:** **\*\* Jan. 31, 2017**

(54) **TIRE SIDEWALL**  
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(72) Inventors: **Paul Bryan Maxwell, Kent, OH (US); Stephanie Sue Franks, Ravenna, OH (US)**  
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/537,561**  
(22) Filed: **Aug. 27, 2015**  
(51) **LOC (10) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/605**  
(58) **Field of Classification Search**  
USPC ..... D12/605, 604  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

D558,138 S 12/2007 Shondel ..... D12/605  
D563,310 S 3/2008 Shondel ..... D12/605  
D568,236 S 5/2008 Holden et al. .... D12/605  
D574,320 S 8/2008 Dixon ..... D12/605  
D585,017 S \* 1/2009 Shondel ..... D12/605  
D585,018 S \* 1/2009 Shondel ..... D12/605  
D588,532 S 3/2009 Shondel ..... D12/605  
D593,939 S 6/2009 Maxwell ..... D12/605  
D608,274 S \* 1/2010 Takahashi ..... D12/605  
D610,980 S 3/2010 Shondel ..... D12/605  
D628,959 S 12/2010 Harvey ..... D12/605  
D629,745 S 12/2010 Shondel ..... D12/605  
D640,186 S \* 6/2011 Miyazaki ..... D12/605  
D662,871 S \* 7/2012 Miyazaki ..... D12/517  
D662,877 S 7/2012 Arrant et al. .... D12/605  
D680,490 S \* 4/2013 Iwabuchi ..... D12/605  
D700,886 S \* 3/2014 Matsumoto ..... D12/605  
D708,121 S \* 7/2014 Iwabuchi ..... D12/605  
D711,816 S \* 8/2014 Iwabuchi ..... D12/605  
D730,274 S \* 5/2015 Isola ..... D12/605  
D732,468 S \* 6/2015 Schoeppner ..... D12/605  
D735,123 S \* 7/2015 Iwabuchi ..... D12/605  
D735,124 S \* 7/2015 Iwabuchi ..... D12/605

(Continued)

*Primary Examiner* — George D Kirschbaum  
*Assistant Examiner* — Clese Moore, Jr.  
(74) *Attorney, Agent, or Firm* — Robert N Lipsik

(56) **References Cited**  
U.S. PATENT DOCUMENTS

D540,250 S 4/2007 Shondel ..... D12/605  
D542,220 S 5/2007 Shondel et al. .... D12/605  
D543,496 S 5/2007 Shondel et al. .... D12/605  
D543,497 S 5/2007 Maxwell et al. .... D12/605  
D543,499 S 5/2007 Shondel ..... D12/605  
D543,932 S \* 6/2007 Shondel ..... D12/605  
D547,261 S 7/2007 Shondel et al. .... D12/605  
D549,165 S 8/2007 Shondel et al. .... D12/605  
D549,168 S 8/2007 Shondel et al. .... D12/605  
D550,150 S 9/2007 Shondel ..... D12/605  
D552,536 S 10/2007 Shondel ..... D12/605  
D557,202 S 12/2007 Shondel ..... D12/605


(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.

**DESCRIPTION**

The sole FIGURE is a front view of a tire sidewall showing our new design.  
In the drawings, the broken lines showing of the tire tread, inner bead and the peripheral boundary between the tire tread and the sidewall in the sole FIGURE depicts environmental subject matter and form no part of the claim.

**1 Claim, 1 Drawing Sheet**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D739,344 S	*	9/2015	Kuwano	.....	D12/605
D740,747 S	*	10/2015	Sato	.....	D12/605
D750,015 S	*	2/2016	Scheifele	.....	D12/605
D750,553 S	*	3/2016	Scheifele	.....	D12/605

\* cited by examiner

