



US00D777674S

(12) **United States Design Patent**  
**Mininger et al.**

(10) **Patent No.:** **US D777,674 S**

(45) **Date of Patent:** **\*\* Jan. 31, 2017**

(54) **ELECTRICAL HOUSING WITH CLOCK,  
SPEAKER, AND OUTLETS**

(71) Applicant: **TXS INDUSTRIAL DESIGN, Inc.**,  
Richardson, TX (US)

(72) Inventors: **Staci Mininger**, Garland, TX (US);  
**Timothy W. Terleski**, Richardson, TX  
(US)

(73) Assignee: **TXS Industrial Design, Inc.**,  
Richardson, TX (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/535,008**

(22) Filed: **Aug. 3, 2015**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/139.7**

(58) **Field of Classification Search**  
USPC ..... D13/137.1–137.4, 138.1–138.2,  
D13/139.1–139.8, 110, 108, 133;  
D14/434; 174/490; 439/137; 361/111  
CPC ..... H02G 3/185; H01R 12/77; H02H 9/042  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 4,240,688 A \* 12/1980 Sotolongo ..... H02G 3/185  
174/490
- 4,463,998 A \* 8/1984 Reavis ..... H01R 12/77  
439/137
- D379,796 S \* 6/1997 Bagga ..... D13/139.4
- 5,748,424 A \* 5/1998 Hung ..... H02H 9/042  
361/111

- D432,499 S \* 10/2000 Stekelenburg ..... D13/139.6
- D482,326 S \* 11/2003 Stekelenburg ..... D13/137.4
- D528,508 S \* 9/2006 Tan ..... D13/139.8
- D596,570 S \* 7/2009 Spivey ..... D13/133
- D636,728 S \* 4/2011 Terleski ..... D13/139.4
- D651,974 S \* 1/2012 Benedetti ..... D13/137.2
- D653,215 S \* 1/2012 Lam ..... D13/139.8
- D674,342 S \* 1/2013 Ho ..... D13/110
- D682,214 S \* 5/2013 Miller ..... D13/139.8
- D715,225 S \* 10/2014 Mininger ..... D13/139.4
- D718,715 S \* 12/2014 Si ..... D13/110

(Continued)

*Primary Examiner* — Rhea Shields

(57) **CLAIM**

The ornamental design for an electrical housing with clock, speaker, and outlets, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an electrical housing with clock, speaker, and outlets in accordance with the present disclosure;

FIG. 2 is a front elevation view of the electrical housing with clock, speaker, and outlets shown in FIG. 1;

FIG. 3 is a rear elevation view of the electrical housing with clock, speaker, and outlets shown in FIG. 1;

FIG. 4 is a right side elevation view of the electrical housing with clock, speaker, and outlets shown in FIG. 1;


FIG. 5 is a left side elevation view of the electrical housing with clock, speaker, and outlets shown in FIG. 1;

FIG. 6 is a top plan view of the electrical housing with clock, speaker, and outlets shown in FIG. 1; and,

FIG. 7 is a bottom view of the electrical housing with clock, speaker, and outlets shown in FIG. 1.

In the drawings, the broken lines depict unclaimed subject matter only and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D735,138 S *	7/2015	Miniger .....	D13/139.7
D738,311 S *	9/2015	Sumwalt .....	D13/139.4
D762,172 S *	7/2016	Pignotti .....	D13/108
D763,262 S *	8/2016	Hallar .....	D14/434

\* cited by examiner




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7