



US00D777795S

(12) **United States Design Patent** (10) **Patent No.:** **US D777,795 S**
Martin et al. (45) **Date of Patent:** **** Jan. 31, 2017**

(54) **HANDLE FOR A GROUND WORKING IMPLEMENT**

3,363,345 A 1/1968 Ober
3,452,460 A 7/1969 Cope et al.
3,468,041 A 9/1969 Mattson et al.
(Continued)

(71) Applicant: **THE TORO COMPANY**,
Bloomington, MN (US)

FOREIGN PATENT DOCUMENTS

(72) Inventors: **David J. Martin**, Eden Prairie, MN
(US); **Philip C. Dretzka**, Woodbury,
MN (US); **Kevin D. Docken**, Victoria,
MN (US)

WO WO 2010/095234 A1 8/2010

OTHER PUBLICATIONS

(73) Assignee: **The Toro Company**, Bloomington, MN
(US)

U.S. Appl. No. 14/547,740, filed Nov. 19, 2014, Friberg et al.
(Continued)

(**) Term: **15 Years**

Primary Examiner — Ian Simmons

Assistant Examiner — Khawaja Anwar

(21) Appl. No.: **29/539,495**

(74) *Attorney, Agent, or Firm* — Muetting, Raasch &
Gebhardt, P.A.

(22) Filed: **Sep. 15, 2015**

(57) **CLAIM**

(51) **LOC (10) Cl.** **15-03**

The ornamental design for a handle for a ground working
implement, as shown and described.

(52) **U.S. Cl.**

USPC **D15/11**

(58) **Field of Classification Search**

USPC .. D15/10, 11, 15, 17, 22, 23, 25, 26, 28, 30
CPC E02F 9/0841; E02F 3/3411; E02F 3/76;
E02F 3/34; E02F 3/00; E02F 7/00; E02F
9/16; E02F 9/163; B66C 13/54; B60J
7/00; B60J 1/004; B62D 33/0617; B62D
49/00; B62D 49/0815; B62D
21/186; B62D 53/028; B62D
33/00; B62D 33/06; B62D 33/0633;
B62D 25/00

See application file for complete search history.

DESCRIPTION



U.S. patent application Ser. No. 14/547,653, filed Nov. 19, 2014 is incorporated herein by reference in its entirety. FIG. 1 is a left front upper perspective view of a handle for a ground working implement, showing our new design; FIG. 2 is a right rear upper perspective view thereof; FIG. 3 is a right side elevation view thereof; FIG. 4 is a left side elevation view thereof; FIG. 5 is a front elevation view thereof; FIG. 6 is a rear elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; and, FIG. 9 is a right rear lower perspective thereof. The broken lines shown in the drawings represent unclaimed environment only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,768,453 A 10/1956 Adams, Jr.
3,115,714 A 12/1963 Johann
3,359,661 A 12/1967 Speiser et al.

1 Claim, 9 Drawing Sheets



(56)

References Cited**U.S. PATENT DOCUMENTS**

3,488,869 A 1/1970 Heth et al.
 3,913,247 A 10/1975 Ruhl
 3,982,082 A 9/1976 Thorud et al.
 4,068,397 A 1/1978 Bacon
 D251,786 S 5/1979 Wildgen
 4,203,237 A 5/1980 Enters et al.
 4,294,027 A 10/1981 Edwards
 4,295,285 A 10/1981 Stevens
 4,300,295 A 11/1981 Heismann
 D262,797 S 1/1982 Arthur et al.
 4,312,174 A 1/1982 Vanderhoef
 4,322,896 A 4/1982 Miyazawa et al.
 4,325,195 A 4/1982 Comer
 4,326,370 A 4/1982 Thorud
 4,335,566 A 6/1982 Hurd
 4,346,526 A 8/1982 Mattson et al.
 D269,092 S 5/1983 Davies, III
 D270,057 S 8/1983 Nakamura
 4,397,088 A 8/1983 Hampel
 4,476,643 A * 10/1984 Hilchey B62D 51/004
 180/19.3
 4,694,594 A 9/1987 Thorud et al.
 4,747,256 A 5/1988 Sadakane
 4,756,101 A 7/1988 Friberg et al.
 4,862,607 A 9/1989 Wacker
 D305,125 S 12/1989 Hinklin
 4,899,471 A 2/1990 Sasaki et al.
 4,908,968 A 3/1990 Thorud et al.
 D307,912 S 5/1990 Yoshida et al.
 4,951,403 A 8/1990 Olmr
 D314,775 S 2/1991 Yoshida et al.
 RE33,726 E 10/1991 Thorud et al.
 D320,731 S 10/1991 Pink et al.
 D320,993 S 10/1991 Pink et al.
 5,052,135 A 10/1991 Fontaine
 5,083,387 A 1/1992 Tillotson et al.
 D324,524 S 3/1992 Beihoffer
 D326,457 S 5/1992 Pink et al.
 5,127,174 A 7/1992 Takeshita
 5,251,711 A 10/1993 Meyer et al.
 5,398,431 A 3/1995 Beihoffer et al.
 D390,576 S 2/1998 Shimamura
 5,758,436 A 6/1998 Harms
 5,966,846 A 10/1999 Harms et al.
 D424,578 S 5/2000 Friberg et al.
 6,082,083 A * 7/2000 Stalpes A01D 34/6806
 56/10.8
 6,170,179 B1 1/2001 Paytas et al.
 D448,389 S 9/2001 Katoh et al.


6,327,798 B1 12/2001 Sakai et al.
 D457,171 S 5/2002 Fowler
 6,470,602 B2 10/2002 White, III et al.
 6,745,548 B1 6/2004 Philip et al.
 D494,193 S 8/2004 Martin et al.
 D498,770 S 11/2004 Yuzuriha
 6,865,826 B1 3/2005 Lakin
 6,951,092 B2 10/2005 Busboom et al.
 D515,592 S 2/2006 Thackery
 7,032,333 B2 4/2006 Friberg et al.
 D544,501 S 6/2007 Chung Lee
 7,305,777 B2 12/2007 Kettering et al.
 7,401,425 B2 7/2008 Friberg et al.
 7,472,500 B2 1/2009 White, III
 D603,428 S 11/2009 Tashiro et al.
 7,624,521 B2 12/2009 White, III et al.
 D610,167 S 2/2010 Martin et al.
 7,730,577 B2 * 6/2010 Wood A47L 11/4075
 15/340.1
 D620,030 S 7/2010 Baetica
 7,762,049 B2 7/2010 Eaton et al.
 D622,291 S 8/2010 Martin et al.
 D624,563 S * 9/2010 Lowe D15/18
 D642,595 S 8/2011 Martin et al.
 D642,596 S 8/2011 Hinklin et al.
 8,011,120 B1 9/2011 Hipple
 D675,232 S 1/2013 Martin et al.
 D676,876 S 2/2013 Martin et al.
 8,490,373 B2 * 7/2013 Hachisuka A01D 34/824
 180/19.3
 D700,629 S 3/2014 Fujiki
 9,096,980 B2 8/2015 Ricketts
 9,096,981 B2 8/2015 Wians et al.
 2002/0020083 A1 2/2002 White, III et al.
 2003/0159317 A1 8/2003 Dowe et al.
 2003/0226738 A1 12/2003 Eakins et al.
 2004/0255492 A1 12/2004 White, III et al.
 2008/0209771 A1 9/2008 Jerger
 2013/0312566 A1 11/2013 Shaffer
 2014/0157633 A1 6/2014 Hansen et al.

OTHER PUBLICATIONS

U.S. Appl. No. 14/547,812, filed Nov. 19, 2014, Friberg.
 U.S. Appl. No. 14/547,653, filed Nov. 19, 2014, Duchscherer et al.
 U.S. Appl. No. 29/539,493, filed Sep. 15, 2015, Dretzka et al.
 U.S. Appl. No. 29/541,333, filed Oct. 2, 2015, Martin et al.
 “Toro® Electric Snowthrowers: 1800 Power Curve®; 1200 Power Curve®; Electric Power Shovel™,” The Toro Company, Bloomington, MN. Form #490-5760-C. 1995; 2 pages.

* cited by examiner

Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

Fig. 7





Fig. 8






Fig. 9