US00D777879S

(12) United States Design Patent

Sawchuk et al.

(10) Patent No.: US D777,879 S
(45) Date of Patent: ** Jan. 31, 2017

(54) **FLOW CONDITIONER FLANGE**

(71) Applicant: **Canada Pipeline Accessories, Co. Ltd.**, Calgary (CA)

(72) Inventors: **Daniel Sawchuk**, Chestermere (CA); **Reginald Selirio**, Calgary (CA); **Dale Sawchuk**, Calgary (CA); **Blaine Sawchuk**, Calgary (CA)

(73) Assignee: **Canada Pipeline Accessories, Co. Ltd.**, Calgary, Alberta (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/526,810**

(22) Filed: **May 13, 2015**

Related U.S. Application Data

(62) Division of application No. 29/465,864, filed on Sep. 2, 2013, now Pat. No. Des. 732,640.

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/213**; D23/249

(58) **Field of Classification Search**
USPC D23/213, 249; 239/428.5, 437; 261/DIG. 22; 138/39
CPC E03C 1/084
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D198,356 S	6/1964	Wahlin et al.
D200,088 S	1/1965	Earnshaw
3,232,550 A	2/1966	Cuva
5,341,848 A	8/1994	Laws
5,400,828 A	3/1995	Ziu et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CA	2171828	3/1995
CA	2228928	8/1995

(Continued)

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP

(57) **CLAIM**

The ornamental design for a flow conditioner flange, as shown and described.

DESCRIPTION

FIG. **1** illustrates a front perspective view of a flow conditioner flange in accordance with a first embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. **2** illustrates a rear perspective view of the flow conditioner flange of FIG. **1**.

FIG. **3** illustrates a front view of the flow conditioner flange of FIG. **1**.

FIG. **4** illustrates a rear view of the flow conditioner flange of FIG. **1**.

FIG. **5** illustrates a side view of the flow conditioner flange of FIG. **1**.

FIG. **6** illustrates a front perspective view of a flow conditioner flange in accordance with a second embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. **7** illustrates a rear perspective view of a flow conditioner flange of FIG. **6**.

FIG. **8** illustrates a front view of the flow conditioner flange of FIG. **6**.

FIG. **9** illustrates a rear view of the flow conditioner flange of FIG. **6**; and,

FIG. **10** illustrates a side view of the flow conditioner flange of FIG. **6**.

The purpose of the broken lines in the drawings is to illustrate environmental structure that forms no part of the design sought to be patented herein.

1 Claim, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

5,495,872	A	3/1996	Gallagher et al.
5,606,297	A	2/1997	Phillips
5,762,107	A	6/1998	Laws
5,959,216	A	9/1999	Hocquet et al.
6,807,986	B2	10/2004	Boger
7,073,534	B2	7/2006	Sawchuk et al.
7,089,963	B2	8/2006	Meheen
D577,100	S	9/2008	Brown et al.
D577,101	S	9/2008	Kong et al.
7,464,611	B2	12/2008	Matter et al.
7,845,688	B2	12/2010	Gallagher et al.
8,132,961	B1	3/2012	England et al.
D674,878	S	1/2013	Jones et al.
D682,987	S	5/2013	Blum
D697,581	S	1/2014	Sawchuk et al.
D701,939	S	4/2014	Sawchuk et al.
D721,417	S	1/2015	Sawchuk et al.
2004/0055816	A1	3/2004	Gallagher et al.
2005/0178455	A1	8/2005	Cancade et al.
2008/0246277	A1	10/2008	Gallagher et al.
2011/0174407	A1	7/2011	Lundberg et al.
2011/0174408	A1	7/2011	Lundberg et al.
2012/0247223	A1	10/2012	Sawchuk et al.
2014/0196535	A1	7/2014	Sawchuk et al.

FOREIGN PATENT DOCUMENTS

CA	2787659		7/2011
GB	1469648		4/1977
WO	2014040191	A1	3/2014
WO	2014110673	A1	7/2014
WO	2014186883	A1	11/2014



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10