



US00D777879S

(12) **United States Design Patent**
Sawchuk et al.

(10) **Patent No.:** **US D777,879 S**
(45) **Date of Patent:** **** Jan. 31, 2017**

(54) **FLOW CONDITIONER FLANGE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Canada Pipeline Accessories, Co. Ltd.**, Calgary (CA)

CA 2171828 3/1995
CA 2228928 8/1995

(Continued)

(72) Inventors: **Daniel Sawchuk**, Chestermere (CA); **Reginald Selirio**, Calgary (CA); **Dale Sawchuk**, Calgary (CA); **Blaine Sawchuk**, Calgary (CA)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP

(73) Assignee: **Canada Pipeline Accessories, Co. Ltd.**, Calgary, Alberta (CA)

(57) **CLAIM**

The ornamental design for a flow conditioner flange, as shown and described.

DESCRIPTION

(**) Term: **15 Years**

(21) Appl. No.: **29/526,810**

(22) Filed: **May 13, 2015**

Related U.S. Application Data

(62) Division of application No. 29/465,864, filed on Sep. 2, 2013, now Pat. No. Des. 732,640.

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/213; D23/249**

(58) **Field of Classification Search**
USPC D23/213, 249; 239/428.5, 437;
261/DIG. 22; 138/39
CPC E03C 1/084
See application file for complete search history.

FIG. 1 illustrates a front perspective view of a flow conditioner flange in accordance with a first embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. 2 illustrates a rear perspective view of the flow conditioner flange of FIG. 1.

FIG. 3 illustrates a front view of the flow conditioner flange of FIG. 1.

FIG. 4 illustrates a rear view of the flow conditioner flange of FIG. 1.

FIG. 5 illustrates a side view of the flow conditioner flange of FIG. 1.

FIG. 6 illustrates a front perspective view of a flow conditioner flange in accordance with a second embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. 7 illustrates a rear perspective view of a flow conditioner flange of FIG. 6.

FIG. 8 illustrates a front view of the flow conditioner flange of FIG. 6.

FIG. 9 illustrates a rear view of the flow conditioner flange of FIG. 6; and,

FIG. 10 illustrates a side view of the flow conditioner flange of FIG. 6.

The purpose of the broken lines in the drawings is to illustrate environmental structure that forms no part of the design sought to be patented herein.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D198,356 S	6/1964	Wahlin et al.
D200,088 S	1/1965	Earnshaw
3,232,550 A	2/1966	Cuva
5,341,848 A	8/1994	Laws
5,400,828 A	3/1995	Ziu et al.

(Continued)

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,495,872	A	3/1996	Gallagher et al.
5,606,297	A	2/1997	Phillips
5,762,107	A	6/1998	Laws
5,959,216	A	9/1999	Hocquet et al.
6,807,986	B2	10/2004	Boger
7,073,534	B2	7/2006	Sawchuk et al.
7,089,963	B2	8/2006	Meheen
D577,100	S	9/2008	Brown et al.
D577,101	S	9/2008	Kong et al.
7,464,611	B2	12/2008	Matter et al.
7,845,688	B2	12/2010	Gallagher et al.
8,132,961	B1	3/2012	England et al.
D674,878	S	1/2013	Jones et al.
D682,987	S	5/2013	Blum
D697,581	S	1/2014	Sawchuk et al.
D701,939	S	4/2014	Sawchuk et al.
D721,417	S	1/2015	Sawchuk et al.
2004/0055816	A1	3/2004	Gallagher et al.
2005/0178455	A1	8/2005	Cancade et al.
2008/0246277	A1	10/2008	Gallagher et al.
2011/0174407	A1	7/2011	Lundberg et al.
2011/0174408	A1	7/2011	Lundberg et al.
2012/0247223	A1	10/2012	Sawchuk et al.
2014/0196535	A1	7/2014	Sawchuk et al.

FOREIGN PATENT DOCUMENTS

CA	2787659	7/2011
GB	1469648	4/1977
WO	2014040191	A1 3/2014
WO	2014110673	A1 7/2014
WO	2014186883	A1 11/2014




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10