



US00D778226S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,226 S**  
**Lejeune et al.** (45) **Date of Patent:** **\*\* Feb. 7, 2017**

(54) **TIRE TREAD**

(71) Applicants: **COMPAGNIE GENERALE DES  
ETABLISSEMENTS MICHELIN,**  
Clermont-Ferrand (FR); **Michelin  
Recherche et Technique S.A.,**  
Granges-Paccot (CH)

(72) Inventors: **Jonathan Lejeune,** Clermont-Ferrand  
(FR); **Pierre Delcourt,**  
Clermont-Ferrand (FR); **Charles  
Guicherd,** Clermont-Ferrand (FR)

(73) Assignees: **COMPAGNIE GENERALE DES  
ETABLISSEMENTS MICHELIN**  
(FR); **MICHELIN RECHERCHE ET  
TECHNIQUE S.A.** (CH)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/538,131**

(22) Filed: **Sep. 1, 2015**

(30) **Foreign Application Priority Data**

Mar. 3, 2015 (FR) ..... 2015-1057

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/535**

(58) **Field of Classification Search**  
USPC ..... D12/506, 530, 533-567, 570  
CPC ..... B60C 1/0016; B60C 11/0306; B60C  
11/0302; B60C 11/11; B60C 11/03  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D294,931 S \* 3/1988 Ikeda ..... D12/535  
D454,831 S \* 3/2002 Yuze ..... D12/535

D524,724 S \* 7/2006 Itoi ..... D12/535  
D525,189 S \* 7/2006 Itoi ..... D12/535  
D573,530 S \* 7/2008 Larregain ..... D12/535  
D576,099 S \* 9/2008 Larregain ..... D12/535  
D579,856 S \* 11/2008 Watkins ..... D12/535  
D601,943 S \* 10/2009 Shibamoto ..... D12/535  
D638,349 S \* 5/2011 Misani ..... D12/535  
D640,964 S \* 7/2011 Takenaka ..... D12/535  
D644,166 S \* 8/2011 Yoshiya ..... D12/535  
D718,700 S \* 12/2014 Yao ..... D12/535

**OTHER PUBLICATIONS**

Michelin Power One Tire found online [Jul. 14, 2016] [http://tiresaddict.com/vendor/michelin/power\\_one/](http://tiresaddict.com/vendor/michelin/power_one/).\*

\* cited by examiner

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — John Voytek

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC


(57) **CLAIM**


The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the tire tread of our design; FIG. 2 is a front elevation view of the tire tread of our design; FIG. 3 is a side elevation view of the tire tread of our design; and, FIG. 4 is a side elevation view of the tire tread of our design, taken from the opposite side of that shown in FIG. 3. In the drawings, the broken lines depict environmental subject matter that forms no part of the claimed design. The dash-dot lines represent the peripheral boundary of the claimed design. The tread pattern is understood to repeat uniformly throughout the circumference of the tire.

**1 Claim, 4 Drawing Sheets**






**FIG. 1**




**FIG. 2**





**FIG. 3**



**FIG. 4**