



US00D778233S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,233 S**  
**Kuwano** (45) **Date of Patent:** **\*\* Feb. 7, 2017**

(54) **TIRE**  
(71) Applicant: **Toyo Tire & Rubber Co., Ltd.**,  
Osaka-shi, Osaka (JP)  
(72) Inventor: **Shingo Kuwano**, Osaka (JP)  
(73) Assignee: **Toyo Tire & Rubber Co., Ltd.**, Osaka  
(JP)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/538,274**  
(22) Filed: **Sep. 2, 2015**  
(30) **Foreign Application Priority Data**

Apr. 15, 2015 (JP) ..... 2015-008592

(51) **LOC (10) Cl.** ..... **12-15**  
(52) **U.S. Cl.**  
USPC ..... **D12/605**  
(58) **Field of Classification Search**  
USPC ..... D12/605, 604  
CPC ..... B60C 13/00; B60C 1/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D413,088 S 8/1999 Brown et al.  
D413,288 S 8/1999 Brown et al.  
D563,311 S \* 3/2008 Brainerd, II ..... D12/605  
D563,312 S \* 3/2008 Brainerd, II ..... D12/605  
D610,532 S \* 2/2010 Brainerd, II ..... D12/505  
D610,975 S \* 3/2010 Osaka ..... D12/605  
D610,976 S \* 3/2010 Osaka ..... D12/605  
D610,977 S \* 3/2010 Osaka ..... D12/605

D615,031 S \* 5/2010 Osaka ..... D12/605  
D638,354 S \* 5/2011 Strader ..... D12/605  
D653,200 S \* 1/2012 Kuwano ..... D12/605  
D660,786 S \* 5/2012 Yokomakura ..... D12/605  
D663,682 S \* 7/2012 Ohara ..... D12/605  
D712,820 S \* 9/2014 Hutz ..... D12/605  
D763,786 S \* 8/2016 Mathis ..... D12/605

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

*Assistant Examiner* — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,  
Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a right side view thereof;


FIG. 7 is a left side view thereof;

FIG. 8 is an enlarged view taken along lines 8-8 and 8'-8' in FIG. 2; and,

FIG. 9 is an enlarged cross-sectional view taken along line 9'-9' in FIG. 8 within the portion 9-9 in FIG. 4.

In the drawings, the broken lines showing portions of the tire tread, sidewall, and inner bead depict portions of the tire that form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9