



US00D778246S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,246 S**  
**Kuriki** (45) **Date of Patent:** **\*\* Feb. 7, 2017**

(54) **LIGHT EMITTING DIODE** D698,322 S \* 1/2014 Takeda ..... D13/180  
8,632,226 B2 \* 1/2014 Hata ..... F21V 11/06  
362/249.02  
(71) Applicants: **CITIZEN ELECTRONICS CO., LTD.**, Yamanshi (JP); **CITIZEN HOLDINGS CO., LTD.**, Tokyo (JP) D706,231 S \* 6/2014 Hussell ..... D13/180  
D707,192 S \* 6/2014 Hussell ..... D13/180  
D709,041 S \* 7/2014 Yu ..... D13/180  
8,835,931 B2 \* 9/2014 Wirth ..... H01L 25/0753  
257/76

(72) Inventor: **Shingo Kuriki**, Yamanashi (JP)

(73) Assignees: **CITIZEN ELECTRONICS CO., LTD.**, Yamanashi (JP); **CITIZEN HOLDINGS CO., LTD.**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/546,044**

(22) Filed: **Nov. 18, 2015**

(30) **Foreign Application Priority Data**

May 20, 2015 (JP) ..... D2015-011006

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/180**

(58) **Field of Classification Search**  
USPC ..... D13/180; D26/1  
CPC .... H01L 25/167; H01L 25/0753; H01L 27/15;  
H01L 27/156; H01L 31/02; H01L 33/00;  
H01L 33/04; H01L 33/08; H01L 33/10;  
H01L 33/20; H01L 33/38; H01L 33/42;  
H01L 33/48; H01L 33/483; H01L 33/486  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D150,499 S 8/1948 Heim  
D615,052 S \* 5/2010 Imai ..... D13/180  
D669,041 S \* 10/2012 Imai ..... D13/180  
D683,708 S \* 6/2013 Sasano ..... D13/180  
D689,451 S \* 9/2013 Shimonishi ..... D13/180

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP 1431629 1/2012

**OTHER PUBLICATIONS**

Design U.S. Appl. No. 29/546,041, filed Nov. 18, 2015.  
Design U.S. Appl. No. 29/509,861, filed Nov. 21, 2014.  
Design U.S. Appl. No. 29/509,865, filed Nov. 21, 2014.

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Wenderoth, Lind & Ponack, L.L.P.


(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a light emitting diode showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D721,339 S \* 1/2015 Hussell ..... D13/180  
D727,273 S \* 4/2015 Oka ..... D13/180  
9,018,648 B2 \* 4/2015 Chiu ..... H01L 25/0753  
257/79  
9,018,832 B2 \* 4/2015 Agatani ..... H01L 25/0753  
313/498  
9,029,905 B2 \* 5/2015 Lin ..... H01L 33/52  
257/99  
9,057,501 B2 \* 6/2015 Cho ..... H01L 23/544  
9,059,376 B2 \* 6/2015 Chou ..... H01L 25/0753  
9,130,140 B2 \* 9/2015 Tsuchiya ..... H01L 33/641  
9,146,026 B2 \* 9/2015 Funakubo ..... F21V 21/00  
D750,581 S \* 3/2016 Eguchi ..... D13/180  
D751,517 S \* 3/2016 Kuriki ..... D13/180  
2012/0126257 A1 \* 5/2012 Reiherzer ..... H01L 25/0753  
257/88

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

