



US00D778337S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,337 S**
Roth (45) **Date of Patent:** **** Feb. 7, 2017**

(54) **BUTTON ASSEMBLY**
(71) Applicant: **Gentex Corporation**, Zeeland, MI (US)
(72) Inventor: **Mark R. Roth**, Grand Rapids, MI (US)
(73) Assignee: **GENTEX CORPORATION**, Zeeland, MI (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/544,449**
(22) Filed: **Nov. 3, 2015**
(51) **LOC (10) Cl.** **16-05**
(52) **U.S. Cl.**
USPC **D16/242; D11/201**
(58) **Field of Classification Search**
USPC D11/1-2, 200-201, 206-210, 214-218;
24/163 R, 169-171, 173, 177-179, 191,
24/194-195, 197, 200, 614-616, 625,
24/198, 578.11, 578.1, 163 K, 114, 378.1,
24/379.1; D16/200, 219, 245, 136;
224/908; 294/139; D8/394
CPC A44B 11/26; A44B 11/25; A44B 11/06;
G03B 17/02-17/04; G03B 17/14; G03B
17/56; G03B 17/561-17/568; G03B
21/20-21/2066; G03B 15/041-15/0436;
G02B 7/02-7/04; G02B 7/14; H04N
5/2251-5/2554; F16M 11/02; F16M
11/20; F16M 11/40
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D28,467 S * 4/1898 Draper D11/215
2,585,690 A * 2/1952 Schafer A41B 3/02
2/127
3,127,651 A * 4/1964 Foose A41F 1/00
24/113 MP
3,261,068 A * 7/1966 Gurney A41F 1/00
2/128

D267,050 S * 11/1982 Ostrom D16/219
D291,788 S * 9/1987 Caulkins D11/213
D298,761 S * 11/1988 Yoshida D16/136
D306,870 S * 3/1990 Overstreet D16/219
D307,286 S * 4/1990 Ginder 248/200
D373,098 S * 8/1996 Lee D11/215
D404,753 S * 1/1999 Mascarenas, Sr. D16/242
5,927,579 A * 7/1999 Schwabe A45F 5/02
224/269
D477,792 S * 7/2003 Kaneko D11/200
D480,327 S * 10/2003 Hollinger D11/218
D497,930 S * 11/2004 Moayer D16/242
D530,597 S * 10/2006 Zahav D20/22
D555,699 S * 11/2007 Oh D16/242


(Continued)

Primary Examiner — Ralf Seifert
(74) *Attorney, Agent, or Firm* — Price Heneveld LLP;
Bradley D. Johnson

(57) **CLAIM**
I claim the ornamental design for a button assembly, as shown and described.

DESCRIPTION
FIG. 1 is a front perspective view of a button assembly of the present disclosure;
FIG. 2 is a rear perspective view of the button assembly of FIG. 1;
FIG. 3 is a top plan view of the button assembly of FIG. 1;
FIG. 4 is a bottom plan view of the button assembly of FIG. 1;
FIG. 5 is a first side elevational view of the button assembly of FIG. 1;
FIG. 6 is a second side elevational view of the button assembly of FIG. 1;
FIG. 7 is a rear elevational view of the button assembly of FIG. 1; and,
FIG. 8 is a front elevational view of the button assembly of FIG. 1.
Broken lines are environmental only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D576,659	S *	9/2008	Bevirt	D16/245
D602,974	S *	10/2009	Zen	D16/242
D619,927	S *	7/2010	Guyton	D11/212
D624,109	S *	9/2010	Wang	D16/242
D640,306	S *	6/2011	Hashiguchi	D16/242
D651,230	S *	12/2011	Tan	D16/202
D678,753	S *	3/2013	Ann	D8/354
D684,087	S *	6/2013	Frank	D11/212
D688,725	S *	8/2013	Tsai	D16/242
D689,114	S *	9/2013	Green	D16/242
D704,246	S *	5/2014	Chun	D16/244
D709,546	S *	7/2014	Goff	D16/245
D713,443	S *	9/2014	Fliger	D16/250
D723,608	S *	3/2015	Kim	D16/219
D736,116	S *	8/2015	Schoenbeck	D11/220
D738,416	S *	9/2015	Pitera	D16/136
9,249,923	B2 *	2/2016	DiCarlo	F16M 13/02
D754,777	S *	4/2016	Fish, Jr.	D12/223
9,360,739	B2 *	6/2016	Fliger	F16M 11/041

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8