



US00D778373S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,373 S**
Gossett (45) **Date of Patent:** **** Feb. 7, 2017**

(54) **SHOE WEDGE TRAINING AID**
(71) Applicant: **Steve P. Gossett**, Freemont, NE (US)
(72) Inventor: **Steve P. Gossett**, Freemont, NE (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/508,932**
(22) Filed: **Nov. 12, 2014**
(51) **LOC (10) Cl.** **21-02**
(52) **U.S. Cl.**
USPC **D21/685**
(58) **Field of Classification Search**
USPC D8/402, 47; D6/673, 601; D16/424;
D9/734; D12/217; D21/791; D2/964;
5/638, 636, 644; 188/32; 256/13.1;
293/109; 404/6; 228/173.6; 416/60;
473/217; 36/148, 127; 16/82, 86 A;
340/686.1, 691.1, 693.5, 815.4, 908;
292/343
CPC Y10T 16/61; Y10T 16/6285; Y10T 292/73;
B60T 3/00; E05Y 2900/132; E05F 5/06;
E05F 5/02; E05C 17/54
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,072,878 A 9/1913 Shane
D160,262 S * 9/1950 Hinder D8/402
D178,994 S * 10/1956 Gislason D8/402
2,797,774 A * 7/1957 Eckhart B60T 3/00
188/32
2,932,912 A * 4/1960 Abrams A43B 23/227
36/148
3,054,477 A * 9/1962 Bustin B60T 3/00
188/32
3,195,891 A * 7/1965 Rogers A43B 5/18
36/148
3,275,320 A 9/1966 Hydock
3,328,065 A * 6/1967 Arenson E05C 17/54
16/86 A
D210,304 S * 2/1968 Davis D12/217

3,444,963 A * 5/1969 Davis B60T 3/00
188/32
D215,325 S * 9/1969 Merlo D12/217
3,661,229 A * 5/1972 Stonhaus B60T 3/00
188/32
3,800,917 A * 4/1974 Vick B60T 3/00
188/32
3,810,530 A * 5/1974 Jay B60T 3/00
188/32
3,951,407 A 4/1976 Calacurcio
3,993,167 A * 11/1976 Reed B60T 3/00
188/32
4,118,034 A 10/1978 O'Brien
(Continued)

OTHER PUBLICATIONS

Power Up Wedge by Power Up Wedge dated no date given. Found online [May 10, 2016] http://www.powerupwedge.com/?page_id=2.*

Primary Examiner — Robert M Spear
Assistant Examiner — Ryan Harvey
(74) *Attorney, Agent, or Firm* — Erickson Kernell IP, LLC


(57) **CLAIM**

The ornamental design for a shoe wedge training aid, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the shoe wedge training aid in accordance with the present invention;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a right side view thereof, the left side view being a mirror image;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is rear elevational view thereof; and,
FIG. 7 is a front elevational view thereof.
The features shown in broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,186,823 A * 2/1980 White, Jr. B60T 3/00
188/32
4,476,961 A * 10/1984 Luigi B21D 53/00
188/32
4,917,219 A * 4/1990 Henry B60T 3/00
188/32
D316,243 S * 4/1991 Henry D12/217
D353,536 S * 12/1994 Tucker D6/673
5,445,384 A * 8/1995 Yancey A63B 69/3673
36/127
D381,951 S * 8/1997 Hatfield D12/217
D406,028 S * 2/1999 Montgomery D8/402
6,230,350 B1 * 5/2001 Goldstein A47G 9/1054
5/636
D446,676 S * 8/2001 Mayes D6/601
6,547,674 B2 4/2003 Sladek
D493,408 S * 7/2004 Chrisco D12/217
D499,958 S * 12/2004 Crane D8/402
D557,366 S * 12/2007 Witt D21/791
D616,293 S * 5/2010 Goodman D8/402
7,722,473 B1 5/2010 Shah
7,824,281 B1 11/2010 Peterson
D656,881 S * 4/2012 Beranek D12/217
D656,882 S * 4/2012 Beranek D12/217
D662,026 S * 6/2012 Beranek D12/217
D712,750 S * 9/2014 Glenn D9/734
D735,792 S * 8/2015 Ferman D16/242
2006/0208920 A1 * 9/2006 Carrella E05B 17/10
340/686.1
2007/0271731 A1 * 11/2007 Fuller E05F 5/06
16/82
2010/0267498 A1 10/2010 Bard
2012/0040803 A1 2/2012 Gourineni
2013/0291407 A1 11/2013 Adair et al.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7