



US00D778378S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,378 S**  
**Schultz et al.** (45) **Date of Patent:** **\*\* Feb. 7, 2017**

(54) **GRIP FOR A RESISTANCE BAND**  
(71) Applicants: **Daniel Schultz**, Novato, CA (US);  
**Evan Schneider**, Piedmont, CA (US)  
(72) Inventors: **Daniel Schultz**, Novato, CA (US);  
**Evan Schneider**, Piedmont, CA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/541,820**  
(22) Filed: **Oct. 8, 2015**  
(51) **LOC (10) Cl.** ..... **21-02**  
(52) **U.S. Cl.**  
USPC ..... **D21/694**  
(58) **Field of Classification Search**  
USPC ..... D21/664, 673, 688, 662, 699, 705, 668,  
D21/769, 690, 788, 698, 534, 669, 302,  
D21/691, 681, 682, 800, 694, 686, 702,  
D21/676, 684, 775, 777, 692, 672;  
482/122, 142, 123, 129, 128, 93, 106, 74,  
482/121, 130, 71, 72, 95, 96, 68, 66, 41,  
482/141, 100, 115, 49, 146, 147, 42, 51,  
482/35, 38, 23, 904, 91, 28, 140, 907, 86,  
482/83, 87, 90, 131, 902, 61, 65, 17, 52,  
482/62, 107, 108, 54, 105, 133, 148, 92,  
482/138, 12; 473/432, 445, 441, 197, 434,  
473/438, 454, 478, 447, 422, 476;  
D12/317, 9, 6, 8, 130, 115, 114; 273/400,  
273/407, 396; D8/303, 499, D8/107, 14;  
D11/87, 86, 80, 103, 2, 56, 93, 13;  
16/430, 421; D26/49, 37; D24/107;  
74/551.9; 59/82, 80; 24/658, 303  
CPC ..... A63B 21/0552; A63B 21/00069;  
A63B 21/4035; A63B 21/0557; A63B  
21/0442; A63B 2208/0204; A63B  
21/4043; A63B 23/12; A63B 21/0004  
See application file for complete search history.

D478,391 S \* 8/2003 Saunders ..... D26/49  
7,334,499 B2 \* 2/2008 Lai ..... B62K 21/26  
74/551.9  
D596,476 S \* 7/2009 Welch ..... D8/303  
7,585,260 B2 \* 9/2009 Ma ..... A63B 21/0552  
482/106  
D607,591 S \* 1/2010 Rivera ..... D26/49  
D615,605 S \* 5/2010 Frasco ..... D21/682  
D616,950 S \* 6/2010 Hersee ..... D21/682  
D621,680 S \* 8/2010 Hsu ..... D8/303  
D648,204 S \* 11/2011 Parvey ..... D8/303  
D667,130 S \* 9/2012 Baker ..... D24/207  
D698,219 S \* 1/2014 Lee ..... D8/107  
D721,773 S \* 1/2015 Marooth ..... D21/694  
D738,569 S \* 9/2015 Saide ..... D22/117  
9,414,667 B1 \* 8/2016 Tate ..... A45F 3/44

(Continued)

*Primary Examiner* — Robert M Spear  
*Assistant Examiner* — Ryan Harvey  
(74) *Attorney, Agent, or Firm* — AKC Patents, LLC;  
Aliko K. Collins

(57) **CLAIM**

The ornamental design for a grip for a resistance band, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the grip for a resistance band, with the resistance band shown in broken lines;  
FIG. 2 is a perspective view of the grip for a resistance band;  
FIG. 3 is a first side elevational view thereof;  
FIG. 4 is a second side elevational view thereof;  
FIG. 5 is a third side elevational view thereof;  
FIG. 6 is a top plan view of the grip assembly for a resistance band;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is an exploded perspective view of the grip for a resistance band depicting the outer tube, inner tube and the C-clip components of the grip separated for clarity of disclosure;  
FIG. 9 is another perspective exploded view thereof; and,  
FIG. 10 is yet another perspective exploded view thereof.

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D284,259 S \* 6/1986 Oury ..... D8/107  
D299,807 S \* 2/1989 Sawa ..... D22/118



The broken line showing of the resistance band depicts environment and forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

2007/0143968	A1 *	6/2007	Tseng .....	A45B 9/02 16/430
2008/0156139	A1 *	7/2008	Lai .....	B62K 21/26 74/551.9
2015/0224355	A1 *	8/2015	Holland .....	A61H 15/00 482/82

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4







FIG. 5




*FIG. 6*



*FIG. 7*




**FIG. 8**



**FIG. 9**





*FIG. 10*