



US00D778392S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,392 S**
Smith (45) **Date of Patent:** **** Feb. 7, 2017**

(54) **LEAD-FREE RIMFIRE PROJECTILE**
(71) Applicant: **Timothy G. Smith**, St. Marys, PA (US)
(72) Inventor: **Timothy G. Smith**, St. Marys, PA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/519,041**

5,533,751 A 7/1996 Kort et al.
6,016,754 A 1/2000 Enlow et al.
6,074,454 A 6/2000 Abrams et al.
6,090,178 A 7/2000 Benini
6,174,494 B1 1/2001 Lowden et al.
6,182,574 B1 2/2001 Giannoni
6,263,798 B1 7/2001 Benini
6,354,222 B1 3/2002 Becker et al.
6,551,375 B2 4/2003 Siddle et al.

(Continued)

(22) Filed: **Mar. 2, 2015**
(51) **LOC (10) Cl.** **22-03**
(52) **U.S. Cl.**
USPC **D22/116**
(58) **Field of Classification Search**
USPC D22/115-116
CPC F42B 30/02; F42B 5/02; F42B 5/26;
F42B 13/34; F42B 8/04; F42B
10/22; F42B 8/14; F41A 9/83; F41A
9/82; F41A 9/01; F41A 9/09; F41A 9/86
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

CN 2370382 Y 3/2000
GB 2440550 A * 2/2008 F42B 5/025
WO 0120246 A1 3/2001

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — The Webb Law Firm

(57) **CLAIM**

The ornamental design for a lead-free rimfire projectile, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

3,611,937 A 10/1971 Hildebrand
4,109,582 A 8/1978 Haep et al.
4,130,061 A 12/1978 Boggs et al.
4,480,551 A 11/1984 LoFiego
4,674,409 A * 6/1987 Lopata C06B 43/00
102/283
4,797,985 A 1/1989 Prochnow et al.
4,841,856 A 6/1989 Gisler et al.
5,020,439 A 6/1991 Winter et al.
5,216,199 A * 6/1993 Bjerke F42B 33/025
102/204
5,275,108 A * 1/1994 Chernicky F42B 10/44
102/439
5,490,463 A * 2/1996 Lamberty F42B 5/32
102/430
5,495,819 A 3/1996 Marion
5,518,268 A 5/1996 Moore et al.

DESCRIPTION

FIG. 1 is a front view of a lead-free rimfire projectile in accordance with an embodiment of the present invention, with the rear view, right side view, and left side view of the rimfire projectile being a mirror image thereof;
FIG. 2 is a cross-sectional view taken along the line 2-2 of the rimfire projectile shown in FIG. 1;
FIG. 3 is a top view of the rimfire projectile shown in FIG. 1;
FIG. 4 is a bottom view of the rimfire projectile shown in FIG. 1;
FIG. 5 is a bottomwardly directed perspective view of the rimfire projectile shown in FIG. 1; and,
FIG. 6 is a topwardly directed perspective view of the rimfire projectile shown in FIG. 1.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

6,551,376	B1	4/2003	Beal	
6,591,730	B2	7/2003	Beal	
6,840,149	B2	1/2005	Beal	
7,243,588	B2	7/2007	Beal	
7,555,987	B2	7/2009	Powers, Jr.	
7,685,942	B1	3/2010	Powers, Jr.	
7,802,393	B2	9/2010	Judson et al.	
8,028,626	B2	10/2011	Hash et al.	
8,448,927	B1	5/2013	Falabella et al.	
D764,624	S *	8/2016	Masinelli	D22/116
2005/0066848	A1	3/2005	Muskat et al.	
2016/0018199	A1 *	1/2016	Nemec	F42B 5/02
				102/439
2016/0018200	A1 *	1/2016	Sharudenko	F42B 5/025
				102/517
2016/0273896	A1 *	9/2016	Emary	F42B 12/34

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6