



US00D778435S

(12) **United States Design Patent**  
**Grogan**

(10) **Patent No.:** **US D778,435 S**

(45) **Date of Patent:** **\*\* Feb. 7, 2017**

(54) **COMBINATION STOMA ENGAGING PAD AND COLOSTOMY BAG**

6,231,553 B1 5/2001 Hulett  
D460,550 S 7/2002 Falconer  
6,419,664 B1 \* 7/2002 von Bulow ..... A61F 5/4407  
604/317

(71) Applicant: **Heath J. Grogan**, Parkersburg, WV (US)

D487,313 S 3/2004 Mazzella  
6,863,663 B1 3/2005 Mills et al.  
D607,559 S 1/2010 Schena  
D618,791 S 6/2010 Schena  
8,672,907 B2 \* 3/2014 Friske ..... A61F 5/445  
604/335

(72) Inventor: **Heath J. Grogan**, Parkersburg, WV (US)

(\*\*) Term: **14 Years**

2003/0073962 A1 \* 4/2003 Olsen ..... A61F 5/4407  
604/327

(21) Appl. No.: **29/505,017**

2003/0236509 A1 \* 12/2003 Silvestrini ..... A61F 5/441  
604/332

(22) Filed: **Apr. 22, 2015**

(Continued)

(51) **LOC (10) Cl.** ..... **24-02**

*Primary Examiner* — Ian Simmons

(52) **U.S. Cl.**  
USPC ..... **D24/118**

*Assistant Examiner* — Samantha Q Lawrence

(58) **Field of Classification Search**  
USPC ..... D24/108, 112–114, 118, 127, 128, 129,  
D24/130, 133, 140; 604/332, 334, 337,  
604/339; 600/32, 101, 139, 143; 606/181,  
606/185

(74) *Attorney, Agent, or Firm* — Suzanne Kikel, Patent Agent

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a combination stoma engaging pad and colostomy bag, as shown and described.

(56) **References Cited**


**DESCRIPTION**

U.S. PATENT DOCUMENTS

- 3,690,320 A \* 9/1972 Riely ..... A61F 5/441  
604/333
- D242,652 S \* 12/1976 Kunkle, Jr. .... 128/DIG. 24
- D302,307 S 7/1989 Steer
- D303,574 S 9/1989 Steer
- D303,575 S 9/1989 Steer
- D325,083 S 3/1992 Litchfield
- 5,306,264 A \* 4/1994 Ferguson ..... A61F 5/441  
604/332
- D354,560 S 1/1995 Chase
- D379,654 S 6/1997 Holtermann
- D398,990 S 9/1998 Briggs et al.
- 5,843,054 A \* 12/1998 Honig ..... A61F 5/445  
604/332

FIG. 1 is an exploded perspective front view of a combination stoma engaging pad and colostomy bag in an opened position.  
 FIG. 2 is an exploded perspective rear view of FIG. 1.  
 FIG. 3 is a front elevational view thereof in a closed position.  
 FIG. 4 is a rear elevational view of FIG. 3.  
 FIG. 5 is a right side elevational view of FIG. 3.  
 FIG. 6 is a left side elevational view of FIG. 3.  
 FIG. 7 is a bottom plan view of FIG. 3; and,  
 FIG. 8 is a top plan view of FIG. 3.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2013/0253456 A1\* 9/2013 Friske ..... A61F 5/445  
604/332  
2014/0194843 A1\* 7/2014 Masters ..... A61F 5/4405  
604/333  
2015/0018789 A1\* 1/2015 Ben-Arie ..... A61F 5/442  
604/334

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6






FIG. 7




FIG. 8