



US00D778451S

(12) **United States Design Patent**
Takizawa et al.

(10) **Patent No.:** **US D778,451 S**

(45) **Date of Patent:** **** Feb. 7, 2017**

(54) **CONDUCTIVE SEAL OF A BIOMEDICAL SIGNAL RECORDER**

(71) Applicant: **TDK Corporation**, Tokyo (JP)

(72) Inventors: **Minoru Takizawa**, Sagamihara (JP);
Yasushi Sasaki, Tokyo (JP); **Fongru Lin**, Yokohama (JP)

(73) Assignee: **TDK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/508,781**

(22) Filed: **Nov. 11, 2014**

(30) **Foreign Application Priority Data**

May 13, 2014 (JP) 2014-010185

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC . D24/186-187, 232, 168, 200, 189; D20/27
CPC . A61B 5/0408; A61B 5/04085; A61B 5/0404;
A61B 5/04087; A61B 5/04082; A61B
5/05

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,606,881 A * 9/1971 Woodson A61B 5/0416
600/392
- 4,852,571 A * 8/1989 Gadsby A61B 5/04087
600/396
- 5,402,780 A * 4/1995 Faasse, Jr. A61B 5/0408
29/877
- 5,511,548 A * 4/1996 Riazzi A61B 5/0408
600/391

- 5,921,925 A * 7/1999 Cartmell A61B 5/0408
600/391
- 6,129,666 A * 10/2000 DeLuca A61B 5/04085
600/372
- 9,162,045 B2 * 10/2015 Jones A61B 5/0408
- D749,748 S * 2/2016 Suzuki D24/232

FOREIGN PATENT DOCUMENTS

- IN 256193-0001 * 9/2013
- JP S1485504 12/2013
- JP S1485505 12/2013
- JP S1485726 12/2013

* cited by examiner

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a conductive seal of a biomedical signal recorder, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a conductive seal of a biomedical signal recorder, showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a right side view thereof, the left side being symmetrical;
 FIG. 6 is a cross-sectional view thereof, taken along the line 6-6 of FIG. 1; and,
 FIG. 7 is an exploded perspective view thereof, showing a state of separate components of the conductive seal of a biomedical signal recorder.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7