



US00D778807S

(12) **United States Design Patent**
Otani

(10) **Patent No.:** **US D778,807 S**

(45) **Date of Patent:** **** Feb. 14, 2017**

(54) **TIRE FOR MOTORCYCLE**

(71) Applicant: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-shi, Hyogo-ken (JP)

(72) Inventor: **Masafumi Otani**, Kobe (JP)

(73) Assignee: **SUMITOMO RUBBER INDUSTRIES, LTD.**, Kobe-Shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/558,977**

(22) Filed: **Mar. 23, 2016**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/535**

(58) **Field of Classification Search**
USPC 152/5, 151, 152.1, 167, 208, 152/209.1-209.28, 246, 450, 526, 527, 152/532, 535, 538, 541; D12/145, D12/500-605, 900-901
CPC B60C 11/00; B60C 2011/0337; B60C 2011/0339; B60C 2011/0386; B60C 3/00; B60C 3/08; B60C 1/00; B60C 2200/00; B60C 2200/02; B60C 2200/04; B60C 2200/06; B60C 2200/065; B60C 2200/08; B60C 2200/10; B60C 2200/12; B60C 2200/14; B60C 7/00; B60C 7/02; B60C 7/04; B60C 7/06; B60C 7/08; B60C 5/00; B60C 13/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D524,724 S * 7/2006 Itoi D12/535
D635,504 S * 4/2011 Nakamura D12/535

D639,232 S * 6/2011 Sugimoto D12/535
D640,964 S * 7/2011 Takenaka D12/535
D678,179 S * 3/2013 Larregain D12/535
D684,521 S * 6/2013 Larregain D12/535
D703,606 S * 4/2014 Yao D12/535
D718,700 S * 12/2014 Yao D12/535
D718,701 S * 12/2014 Isaka D12/535
D728,454 S * 5/2015 Kubo D12/535
D754,585 S * 4/2016 Otani D12/535
2013/0186535 A1 * 7/2013 Oshima B60C 11/0302 152/209.18

* cited by examiner

Primary Examiner — Manpreet Matharu

Assistant Examiner — Keith Wilson

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(57) **CLAIM**

The ornamental design for a tire for motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tire for motorcycle showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof;
FIG. 8 is a partial enlarged view of FIG. 2, illustrating the repeating pattern of the tread grooves; and,
FIG. 9 is a partial cross-section along the line 9-9 in FIG. 2, illustrating the depth of the grooves in the repeating pattern of tread grooves.

1 Claim, 9 Drawing Sheets







FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9