



US00D778808S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,808 S**  
**Fabing et al.** (45) **Date of Patent:** **\*\* Feb. 14, 2017**

(54) **TIRE TREAD**

(71) Applicants: **COMPAGNIE GENERALE DES ESTABLISSEMENTS MICHELIN**, Clermont-Ferrand (FR); **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

D504,387 S \* 4/2005 Welbes ..... D12/549  
D591,220 S \* 4/2009 Minagawa ..... D12/549  
D597,475 S \* 8/2009 Heinen ..... D12/553  
D597,929 S \* 8/2009 Diensthuber ..... D12/566  
D651,163 S \* 12/2011 Shimizu ..... D12/560

(Continued)

**FOREIGN PATENT DOCUMENTS**

(72) Inventors: **Daniel Fabing**, Clermont-Ferrand (FR); **Illyes Batnini**, Clermont-Ferrand (FR); **Jeoffrey Busa**, Clermont-Ferrand (FR)

EM 002213512-0001 4/2013

**OTHER PUBLICATIONS**

(73) Assignees: **COMPAGNIE GENERALE DES ESTABLISSEMENTS MICHELIN** (FR); **MICHELIN RECHERCHE ET TECHNIQUE S.A.** (CH)

Accelera Snow Tire found online [Aug. 2, 2016] <http://tiresaddict.com/vendor/accelera/snow/>.\*

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — John Voytek

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Dickinson Wright PLLC

(21) Appl. No.: **29/526,060**

(57) **CLAIM**

(22) Filed: **May 6, 2015**

The ornamental design for a tire tread, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Nov. 12, 2014 (FR) ..... 2014-5064

(51) **LOC (10) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/549**

(58) **Field of Classification Search**  
USPC ..... D12/533–567  
CPC ..... B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17  
See application file for complete search history.

FIG. 1 is a perspective view of the tire tread of our design; FIG. 2 is a front elevation view of the tire tread of our design; FIG. 3 is a side elevation view of the tire tread of our design; FIG. 4 is a side elevation view of the tire tread of our design, taken from the opposite side of that shown in FIG. 3; and, FIG. 5 is an enlarged, partial view of FIG. 1.


In the drawings, the broken lines defining the inner bead and the sidewall depict environmental subject matter that forms no part of the claimed design. The dash-dot lines represent the peripheral boundary between the claimed tire tread and the unclaimed sidewall. The tread pattern is understood to repeat uniformly throughout the circumference of the tire, as indicated schematically in solid lines.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D383,718 S \* 9/1997 Graas ..... D12/550  
D441,695 S \* 5/2001 Heinen ..... D12/560

**1 Claim, 5 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

D702,626 S \* 4/2014 de Briey-Terlinden ..... D12/567  
D722,556 S \* 2/2015 Takei ..... D12/567  
D739,810 S \* 9/2015 Reim ..... D12/547


\* cited by examiner




**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**