



US00D778818S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,818 S**
Bruining (45) **Date of Patent:** **** Feb. 14, 2017**

(54) **CHARGING STATION**

(71) Applicant: **ABB Technology AG**, Zurich (CH)

(72) Inventor: **Robert Bruining**, Amsterdam (NL)

(73) Assignee: **ABB Technology AG**, Zurich (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/499,105**

(22) Filed: **Aug. 12, 2014**

(30) **Foreign Application Priority Data**

Feb. 12, 2014 (EM) 002403410-0001
Feb. 12, 2014 (EM) 002403410-0002
Feb. 12, 2014 (EM) 002403410-0003
Feb. 12, 2014 (EM) 002403410-0004
Feb. 12, 2014 (EM) 002403410-0005

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**
USPC D13/102-106, 110, 118-119, 184,
D13/107-108; D14/96-100, 163, 176
CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M
2/0212; H01M 2/1061; H01M
2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/204;
H01M 10/4257; H01M 10/0436; H01M
10/48; H01M 10/44; H01M 10/46; H01M
10/465; H01M 10/482; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J
7/00; H02J 7/0003; H02J 7/0011; H02J
7/0013; H02J 7/0054; H02J 7/0055; H02J
7/0057; H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D390,835 S * 2/1998 Mayfield, III D13/184
D674,335 S * 1/2013 Yamashita D13/107
D676,376 S * 2/2013 Yamada D13/107
D683,307 S * 5/2013 Lecoanet D13/107
D706,215 S * 6/2014 Nakahira D13/110
D706,228 S * 6/2014 Ishiura D13/110
D709,827 S * 7/2014 Kang D13/107
D713,335 S * 9/2014 Mao D13/103

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Bachman & LaPointe,
PC


(57) **CLAIM**

The ornamental design of a charging station, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing the ornamental design of a charging station in accordance with the invention; FIG. 2 is a front view of the embodiment of FIG. 1; FIG. 3 is a side view of the embodiment of FIG. 1; FIG. 4 is a reverse side view of the embodiment of FIG. 1; FIG. 5 is a rear view of the embodiment of FIG. 1; FIG. 6 is a top view of the embodiment of FIG. 1; and, FIG. 7 is a bottom view of the embodiment of FIG. 1. The broken lines in the drawings are for the purpose of illustrating unclaimed portions of the battery charger for electric cars and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D720,285	S *	12/2014	Gilomen	D13/107
D729,157	S *	5/2015	Gilomen	D13/107
D729,158	S *	5/2015	Gilomen	D13/107
D730,821	S *	6/2015	Chin-Ho Kim	D13/107
D730,822	S *	6/2015	Chin-Ho Kim	D13/107
D733,647	S *	7/2015	Farrell	D13/107
D734,249	S *	7/2015	Shimada	D13/107
D734,252	S *	7/2015	Behar	D13/107
D735,660	S *	8/2015	Ferguson	D13/107
D748,052	S *	1/2016	Behar	D13/107
D749,503	S *	2/2016	Ferguson	D13/107
D751,033	S *	3/2016	Dessart	D13/110
2013/0187599	A1 *	7/2013	Ranga	B60L 11/1825 320/109
2013/0309898	A1 *	11/2013	Mizuno	H01R 13/639 439/347
2013/0337669	A1 *	12/2013	Najera	B60L 11/1818 439/133
2014/0111158	A1 *	4/2014	Kinomura	H02G 3/0493 320/109
2015/0077239	A1 *	3/2015	Litjen	B60L 11/1818 340/455
2015/0244046	A1 *	8/2015	Sun	H01M 10/6567 429/71

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




Fig. 7