



US00D778843S

(12) **United States Design Patent** (10) **Patent No.:** **US D778,843 S**  
**Grönqvist et al.** (45) **Date of Patent:** **\*\* Feb. 14, 2017**

(54) **SOFTSTARTER**  
(71) Applicant: **ABB Schweiz AG**, Baden (CH)  
(72) Inventors: **Åsa Grönqvist**, Västerås (SE); **David Wikström**, Västerås (SE); **Jonathan Jonsson**, Västerås (SE); **Lars X. Eriksson**, Västerås (SE); **Magnus Tysell**, Västerås (SE)

(73) Assignee: **ABB Schweiz AG**, Baden (CH)  
(\*\*) Term: **15 Years**

(21) Appl. No.: **29/546,920**

(22) Filed: **Nov. 27, 2015**

(30) **Foreign Application Priority Data**

May 28, 2015 (EM) ..... 002708990-0001

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/162**

(58) **Field of Classification Search**  
USPC ..... D15/5; D13/125, 158-177, 182, 184,  
D13/113, 101, 110, 122, 123, 199  
CPC ..... H02P 1/16; H02P 1/00; H02P 1/18;  
H02P 1/26; H02P 1/42; H05K  
7/1432; H05K 5/00; H01H 9/02; H02B  
1/26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,493,083 A 2/1996 Olivier  
6,087,800 A 7/2000 Becker et al.  
D442,146 S 5/2001 Greenberg et al.

D468,687 S 1/2003 Hamada et al.  
D511,502 S 11/2005 Kim  
D561,701 S 2/2008 Johansson et al.  
D578,489 S 10/2008 Johansson et al.  
D593,040 S \* 5/2009 Frassinetti ..... D13/160  
D599,301 S \* 9/2009 Azzola ..... D13/160  
D647,844 S 11/2011 Engblom et al.  
D647,845 S 11/2011 Engblom et al.  
D647,846 S 11/2011 Engblom et al.  
D682,207 S \* 5/2013 Nakahira ..... D13/110  
D707,636 S 6/2014 Besana et al.  
D713,801 S 9/2014 Johansson  
D714,733 S 10/2014 Johansson  
D733,070 S \* 6/2015 Engblom ..... D13/158  
D733,071 S \* 6/2015 Engblom ..... D13/158  
D752,524 S \* 3/2016 Azzola ..... D13/160

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Ania Aman

(74) *Attorney, Agent, or Firm* — Whitmyer IP Group LLC

(57) **CLAIM**

The ornamental design for a softstarter, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right side isometric view of a softstarter in accordance with the new design;

FIG. 2 is a front side elevational view thereof;

FIG. 3 is a rear side elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in the drawings are for the purpose of illustrating portions of the article that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**








FIG. 1






FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6






FIG. 7