



US00D779125S

(12) **United States Design Patent**
Gaynor et al.

(10) **Patent No.:** **US D779,125 S**

(45) **Date of Patent:** **** Feb. 14, 2017**

(54) **BLOCKING PAD**

(71) Applicant: **Grafton School, Inc.**, Winchester, VA (US)

(72) Inventors: **James Gaynor**, Winchester, VA (US);
Kim Sanders, Harpers Ferry, WV (US);
Christopher Feltner, Strasburg, VA (US)

(73) Assignee: **GRAFTON SCHOOL, INC.**, Winchester, VA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,785**

(22) Filed: **Oct. 7, 2015**

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/100**

(58) **Field of Classification Search**
USPC D11/95, 96, 99, 131-133, 140; D22/199;
D29/100, 101.1, 101.3, 108; 89/36.01,
89/36.02, 36.05, 36.06; 2/455, 2.5;
109/49.5; 428/542.2, 542.4, 542.6
CPC F41H 5/08; F41H 5/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,574,046 A * 11/1951 Logan A63B 69/26
2/455
- 3,370,302 A * 2/1968 Karlyn F41H 5/08
128/846
- 5,329,363 A * 7/1994 Moskovich H04N 9/31
348/781
- D354,156 S * 1/1995 Tapia D29/100

- 6,131,524 A * 10/2000 Nepper, Sr. F41H 5/08
109/49.5
- 6,367,363 B1 * 4/2002 Widmont F41H 5/08
89/36.02
- 7,056,238 B1 * 6/2006 Brown A63B 69/345
473/422
- 8,276,498 B1 * 10/2012 Hannibal F41H 5/08
89/36.05
- D733,968 S * 7/2015 Vandenberg D29/100

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Goodhue, Coleman & Owens, P.C.


(57) **CLAIM**

The ornamental design for a blocking pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a blocking pad showing our new design;
 FIG. 2 is a back view of the blocking pad shown in FIG. 1;
 FIG. 3 is a front view of the blocking pad shown in FIG. 1;
 FIG. 4 is a left side view of the blocking pad shown in FIG. 1 with the opposite right side view being a mirror image; and
 FIG. 5 is a top view of the blocking pad shown in FIG. 1 with the opposite bottom view being a mirror image.
 FIG. 6 is a perspective view of a second embodiment of our new design for a blocking pad;
 FIG. 7 is a back view of the blocking pad shown in FIG. 6;
 FIG. 8 is a front view of the blocking pad shown in FIG. 6;
 FIG. 9 is a left side view of the blocking pad shown in FIG. 6 with the opposite right side view being a mirror image; and,
 FIG. 10 is a top view of the blocking pad shown in FIG. 6 with the opposite bottom view being a mirror image.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10