



US00D779125S

(12) **United States Design Patent**  
**Gaynor et al.**

(10) **Patent No.:** **US D779,125 S**

(45) **Date of Patent:** **\*\* Feb. 14, 2017**

(54) **BLOCKING PAD**

(71) Applicant: **Grafton School, Inc.**, Winchester, VA (US)

(72) Inventors: **James Gaynor**, Winchester, VA (US);  
**Kim Sanders**, Harpers Ferry, WV (US);  
**Christopher Feltner**, Strasburg, VA (US)

(73) Assignee: **GRAFTON SCHOOL, INC.**, Winchester, VA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/541,785**

(22) Filed: **Oct. 7, 2015**

(51) **LOC (10) Cl.** ..... **29-02**

(52) **U.S. Cl.**  
USPC ..... **D29/100**

(58) **Field of Classification Search**  
USPC .... D11/95, 96, 99, 131-133, 140; D22/199;  
D29/100, 101.1, 101.3, 108; 89/36.01,  
89/36.02, 36.05, 36.06; 2/455, 2.5;  
109/49.5; 428/542.2, 542.4, 542.6  
CPC ..... F41H 5/08; F41H 5/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,574,046 A \* 11/1951 Logan ..... A63B 69/26  
2/455
- 3,370,302 A \* 2/1968 Karlyn ..... F41H 5/08  
128/846
- 5,329,363 A \* 7/1994 Moskovich ..... H04N 9/31  
348/781
- D354,156 S \* 1/1995 Tapia ..... D29/100

- 6,131,524 A \* 10/2000 Nepper, Sr. .... F41H 5/08  
109/49.5
- 6,367,363 B1 \* 4/2002 Widmont ..... F41H 5/08  
89/36.02
- 7,056,238 B1 \* 6/2006 Brown ..... A63B 69/345  
473/422
- 8,276,498 B1 \* 10/2012 Hannibal ..... F41H 5/08  
89/36.05
- D733,968 S \* 7/2015 Vandenberg ..... D29/100

\* cited by examiner

*Primary Examiner* — Randall Gholson

(74) *Attorney, Agent, or Firm* — Goodhue, Coleman & Owens, P.C.


(57) **CLAIM**

The ornamental design for a blocking pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a blocking pad showing our new design;  
 FIG. 2 is a back view of the blocking pad shown in FIG. 1;  
 FIG. 3 is a front view of the blocking pad shown in FIG. 1;  
 FIG. 4 is a left side view of the blocking pad shown in FIG. 1 with the opposite right side view being a mirror image; and  
 FIG. 5 is a top view of the blocking pad shown in FIG. 1 with the opposite bottom view being a mirror image.  
 FIG. 6 is a perspective view of a second embodiment of our new design for a blocking pad;  
 FIG. 7 is a back view of the blocking pad shown in FIG. 6;  
 FIG. 8 is a front view of the blocking pad shown in FIG. 6;  
 FIG. 9 is a left side view of the blocking pad shown in FIG. 6 with the opposite right side view being a mirror image; and,  
 FIG. 10 is a top view of the blocking pad shown in FIG. 6 with the opposite bottom view being a mirror image.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10