



US00D779273S

(12) **United States Design Patent** (10) **Patent No.:** **US D779,273 S**
Lee et al. (45) **Date of Patent:** **** Feb. 21, 2017**

(54) **COLD WATER CONTAINER FOR REFRIGERATOR**
(71) Applicant: **Samsung Electronics Co., Ltd.**, Suwon-si, Gyeonggi-do (KR)
(72) Inventors: **Junkyo Lee**, Seongnam-si (KR); **Jangwon Kim**, Seoul (KR)
(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-si, Gyeonggi-Do (KR)

D578,394 S 10/2008 Shurtleff et al.
D586,182 S * 2/2009 Trombly D7/509
D586,183 S * 2/2009 Junkel D7/511
D592,012 S * 5/2009 Carreno D7/510
D632,132 S * 2/2011 George D7/510
D651,852 S * 1/2012 George D7/510
D672,198 S * 12/2012 Soltz D7/507
D675,100 S * 1/2013 Herbst D7/511
D721,250 S * 1/2015 Chen D7/510
D728,313 S * 5/2015 Bo D7/510
D734,096 S * 7/2015 George D7/509
D742,241 S * 11/2015 Shell-Schnitzer D9/443

(Continued)

(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/534,668**

CN 300963003D 1/2012
JP D1466134 8/2013
KR 30-0629726 1/2012

(22) Filed: **Jul. 30, 2015**

(30) **Foreign Application Priority Data**

Primary Examiner — Ian Simmons

Assistant Examiner — Keith Frank

Feb. 5, 2015 (KR) 30-2015-0006311

(74) *Attorney, Agent, or Firm* — Ladas & Parry LLP

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/510; D7/511**

(57) **CLAIM**

We claim the ornamental design for a cold water container for refrigerator, as shown and described.

(58) **Field of Classification Search**
USPC D7/300, 300.1, 509–511, 523, 529, 532, D7/601, 602, 619.1, 629; D9/435, 436, D9/439, 440, 453, 454, 500–505, 516, D9/529, 544–546, 549, 552, 558, 575; D28/197
CPC B65D 81/38; A47J 41/005; A47J 41/0011; A47J 41/0027; F25D 31/007; F25D 31/002; F25D 2331/803; F25D 2303/0841
See application file for complete search history.

DESCRIPTION


FIG. 1 is a perspective view of a cold water container for refrigerator showing our new design.
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view of a cold water container for refrigerator of our new design in use showing the appearance with the cap of the subject design detached.
The broken lines shown in the drawings form no part of claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D331,825 S * 12/1992 Osgar D23/205
D448,290 S 9/2001 Schultz et al.
D455,611 S * 4/2002 Kitamura D7/608
D572,975 S 7/2008 Germany et al.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D742,699	S *	11/2015	Boroski	D7/608
D743,742	S *	11/2015	Rummel	D7/511
D744,290	S *	12/2015	Endo	D7/608
D744,780	S *	12/2015	Lindsay	D7/510
D744,781	S *	12/2015	Rummel	D7/511
D748,478	S *	2/2016	Sorensen	D9/443
D752,381	S *	3/2016	Wahl	D7/392.1
D754,485	S *	4/2016	Lapsker	D7/523
D760,542	S *	7/2016	Vu	D7/510
D761,058	S *	7/2016	Ou	D7/510
2005/0045634	A1 *	3/2005	Ward	A47G 19/2272 220/254.3
2015/0164255	A1 *	6/2015	Coon	B65D 47/241 220/254.3

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

