



US00D779366S

(12) **United States Design Patent** (10) **Patent No.:** **US D779,366 S**
Rose (45) **Date of Patent:** **** Feb. 21, 2017**

(54) **TWO-SIDED RING**
(71) Applicant: **Roseark Inc.**, West Hollywood, CA (US)
(72) Inventor: **Rick Rose**, West Hollywood, CA (US)
(73) Assignee: **Roseark Inc.**, West Hollywood, CA (US)
(**) Term: **15 Years**

D230,254 S * 2/1974 Smith D8/399
D285,543 S * 9/1986 Moser D10/32
6,694,779 B1 * 2/2004 Dreger A47G 21/16
63/15
D492,216 S * 6/2004 Schubach D11/26
D556,194 S * 11/2007 Rambosek D11/2
D710,740 S * 8/2014 Schmidt D11/26
D714,179 S * 9/2014 Park D11/3
D754,356 S * 4/2016 Lee D11/3
D766,234 S * 9/2016 Francis D11/4
D767,565 S * 9/2016 Francis D11/4
2005/0126224 A1 * 6/2005 Miley A44C 9/00
63/15

(21) Appl. No.: **29/538,306**
(22) Filed: **Sep. 2, 2015**
(51) **LOC (10) Cl.** **11-01**
(52) **U.S. Cl.**
USPC **D11/26**
(58) **Field of Classification Search**
USPC D11/3-5, 26-43, 45, 79, 89-92; D7/633;
D8/354, 356, 397, 399
CPC A44C 5/00; A44C 7/00; A44C 7/002;
A44C 7/004; A44C 9/00; A44C 9/0007;
A44C 9/0015; A44C 9/0023; A44C 9/003;
A44C 9/0038; A44C 9/0046; A44C
9/0053; A44C 9/0061; A44C
9/0069; A44C 9/0076; A44C
15/001; A44C 17/02; A44C 17/0208;
A44C 17/0216; A44C 17/0225; A44C
17/0233; A44C 17/0241; A44C 17/025;
A44C 17/0258
See application file for complete search history.

* cited by examiner


Primary Examiner — Karen S Acker
Assistant Examiner — Wendy Arminio
(74) *Attorney, Agent, or Firm* — Kristin Mazany Nevins;
Offit Kurman, P.C.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D64,849 S * 6/1924 Granat 63/15
D67,567 S * 6/1925 Alterton 63/15

(57) **CLAIM**
The ornamental design for a two-sided ring, as shown and described.

DESCRIPTION
FIG. 1 is a side isometric view of a two-sided ring;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The two-sided ring has a unique design of two flat-sided surfaces that provide a locking mechanism to keep the ring in one position when worn on a finger.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7