



US00D779436S

(12) **United States Design Patent**
Huynh

(10) **Patent No.:** **US D779,436 S**

(45) **Date of Patent:** **** Feb. 21, 2017**

(54) **ILLUMINATED WALL SOCKET WITH SWITCHES**

(71) Applicant: **Duy Huynh**, Sarasota, FL (US)

(72) Inventor: **Duy Huynh**, Sarasota, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/561,571**

(22) Filed: **Apr. 18, 2016**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.6**

(58) **Field of Classification Search**
USPC D13/137.1, 137.3, 139.1, 139.3, 139.6,
D13/156, 158, 169, 177; D8/353
CPC H01H 23/00; H01H 23/02; H01H 23/04;
H02G 3/12; H02G 3/14; H01R
13/44; H01R 13/7135

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D269,341 S * 6/1983 Doyle D13/139.3
- D310,814 S * 9/1990 Rosenbaum D13/117
- D329,422 S * 9/1992 Fujiyoshi D13/139.1
- 5,213,204 A * 5/1993 Sommer H01H 23/145
200/303
- 5,434,740 A * 7/1995 Chan H02B 1/18
361/118
- 5,835,980 A * 11/1998 Houssian H02G 3/14
174/67
- 6,056,593 A * 5/2000 Strang H01R 13/506
439/536
- 6,199,264 B1 * 3/2001 Marcou H01R 13/6666
29/593
- D462,661 S * 9/2002 Owens D13/139.6
- 7,081,010 B2 * 7/2006 Gorman H01R 31/065
439/491

- 8,028,408 B2 * 10/2011 Gorman H01R 31/065
29/858
- D658,483 S * 5/2012 Krumpe D8/353
- D710,804 S * 8/2014 Duffy D13/139.3
- D713,344 S * 9/2014 Padro D13/139.3
- D735,137 S * 7/2015 Duffy D13/139.1
- 2006/0061440 A1 * 3/2006 Esty H01H 83/02
335/18
- 2007/0081286 A1 * 4/2007 Jones H01R 13/6616
361/103
- 2009/0032278 A1 * 2/2009 Weeks H01R 13/4534
174/53
- 2009/0256661 A1 * 10/2009 Li H01H 83/04
335/18
- 2013/0043978 A1 * 2/2013 Brooks G08B 21/24
340/8.1
- 2016/0104961 A1 * 4/2016 Savicki, Jr. H01R 25/006
439/138
- 2016/0111832 A1 * 4/2016 Weeks H05K 5/02
335/27
- 2016/0226242 A1 * 8/2016 Lu H02H 9/04

(Continued)

Primary Examiner — Selina Sikder


(57) **CLAIM**

The ornamental design for an illuminated wall socket with switches, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of an illuminated wall socket with switches showing my new design; FIG. 2 is a rear left perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0249477 A1* 8/2016 Rohmer H05K 5/02

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8