



US00D779905S

(12) **United States Design Patent**
Trejo

(10) **Patent No.:** **US D779,905 S**

(45) **Date of Patent:** **** Feb. 28, 2017**

(54) **COMBINATION DRIVER AND HOLDER FOR A THREADED FASTENER**

(71) Applicant: **Juan C. Trejo**, Pasco, WA (US)

(72) Inventor: **Juan C. Trejo**, Pasco, WA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/548,385**

(22) Filed: **Dec. 14, 2015**

Related U.S. Application Data

(63) Continuation of application No. 13/835,480, filed on Mar. 15, 2013, now abandoned.

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/70; D15/140**

(58) **Field of Classification Search**
USPC D8/68, 70, 71, 85, 86; D15/138-140
CPC B25B 23/0035; B25B 23/10; B25B 23/12;
B25B 23/14; B25B 23/105; B23B 31/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,244,208	A	4/1966	McKenzie	
4,016,913	A	4/1977	Anderson	
4,140,161	A	2/1979	Russo	
4,190,091	A	2/1980	Colognori	
D330,900	S *	11/1992	Wakegijig	D15/138
5,470,180	A *	11/1995	Jore	B23B 31/1071 279/14
D379,578	S *	6/1997	Daniels	D8/70
5,791,212	A	8/1998	Han	
D415,180	S *	10/1999	Rosanwo	D15/140
6,244,141	B1	6/2001	Han	
D449,504	S *	10/2001	Boyle	D8/70
D462,596	S *	9/2002	Fruhm	D8/86

6,497,166	B1	12/2002	Fleckenstein	
D478,263	S *	8/2003	Welsh	D15/140
D479,457	S *	9/2003	Dollar	D8/70
6,997,086	B1	2/2006	Graham	
D589,319	S *	3/2009	Peters	D8/70
D594,306	S *	6/2009	Decker	D15/138
D609,073	S *	2/2010	Lin	D15/140
D616,275	S *	5/2010	Kang	D8/70
D656,611	S *	3/2012	Garcia	D15/139
D656,612	S *	3/2012	Garcia	D15/139

(Continued)

OTHER PUBLICATIONS

“Driver and Holder for a Threaded Fastener.” For Sale by Inventor., Apr. 25, 2014 [online], [retrieved on Nov. 4, 2016]. Retrieved from the Internet <URL: <https://forsalebyinventor.com/products/portfolio-item/driverandholderforthreadedfastener/>>.*

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery; Montgomery Patent & Design

(57) **CLAIM**

The ornamental design for a combination driver and holder for a threaded fastener, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a combination driver and holder for a threaded fastener, showing my new design;

FIG. 2 is a front side elevation view thereof;

FIG. 3 is a back side elevation view thereof;


FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top side plan view thereof; and,

FIG. 7 is a bottom side plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7