



US00D780237S

(12) **United States Design Patent**  
**Hopkins et al.**

(10) **Patent No.:** **US D780,237 S**  
(45) **Date of Patent:** **\*\* Feb. 28, 2017**

(54) **FINNED UNIT OF A STACKABLE HEATING SECTION OF A THERMAL RESERVOIR FOR A HOT MELT DISPENSER**

(57) **CLAIM**  
The ornamental design for a finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser, as shown and described.

**DESCRIPTION**

(71) Applicants: **Ryan R. Hopkins**, Reno, NV (US);  
**Vladimir Siroky**, Bayside, NY (US)

FIG. 1 is top view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser;  
FIG. 2 is a bottom view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser;

(72) Inventors: **Ryan R. Hopkins**, Reno, NV (US);  
**Vladimir Siroky**, Bayside, NY (US)

FIG. 3 is a top front perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser, being the same as the top rear perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser;

(73) Assignee: **Moldman Systems LLC**, Reno, NV (US)

FIG. 4 is top side perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser, being the same as the top opposite side perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser;

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/533,277**

FIG. 5 is a bottom front perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser, being the same as the bottom rear perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser;

(22) Filed: **Jul. 15, 2015**

(51) **LOC (10) Cl.** ..... **15-09**

FIG. 6 is bottom side perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser, being the same as the bottom opposite side perspective view of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser; and,

(52) **U.S. Cl.**

USPC ..... **D15/135**

FIG. 7 is a partial illustration of a segment of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser taken about line 7-7 of FIG. 1 as viewed from a centerline of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser used to illustrate the profile of a radially inner face of the fins of the finned unit of a stackable heating section of a thermal reservoir for a hot melt dispenser.

(58) **Field of Classification Search**

USPC ..... D15/135, 136, 137, 144, 144.1, 144.2;  
219/421; 222/146.5, 152, 156, 189.06,  
222/386, 389, 397, 405

See application file for complete search history.

The ornamental design which is claimed is shown in solid lines in the drawings. The broken lines form no part of the claimed design. The dash-dot lines are boundary lines. The dashed lines shown in the drawings illustrate general environment.

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

- 2,030,132 A \* 2/1936 Apple ..... H01R 43/06  
425/128
- 2,465,283 A 3/1949 Schlehr  
(Continued)

*Primary Examiner* — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Reinhart Boerner Van Deuren P.C.

**1 Claim, 4 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D187,440 S *	3/1960	Tupper .....	D15/136	D276,617 S *	12/1984	Scholl .....	D15/144
3,282,469 A *	11/1966	Skonberg .....	B29B 13/022	4,545,504 A	10/1985	Fabel et al.	
			219/421	D282,262 S *	1/1986	Ramazzotti .....	D15/145
3,543,968 A	12/1970	Reighard et al.		4,804,110 A	2/1989	Sperry et al.	
3,566,651 A *	3/1971	Tlaker .....	B21C 37/153	5,005,731 A	4/1991	Koehler et al.	
			72/370.06	D372,486 S *	8/1996	Morris .....	D15/136
D227,528 S *	7/1973	Wahl .....	D15/136	D387,074 S *	12/1997	Farley .....	D15/144.2
3,813,911 A *	6/1974	Bibighaus .....	B21B 25/00	D387,075 S *	12/1997	Farley .....	D15/144.2
			72/208	5,881,592 A *	3/1999	Blackwell .....	B21C 1/24
3,976,229 A *	8/1976	Jackson .....	B29B 13/022				72/283
			219/421	6,046,437 A *	4/2000	Frates .....	B29B 13/022
3,982,669 A *	9/1976	Moore .....	B29B 13/022				219/426
			222/146.5	D482,376 S *	11/2003	Jeter .....	D15/144
4,073,409 A *	2/1978	Gardner .....	F04B 23/023	6,644,358 B2 *	11/2003	Demarest .....	B22D 13/02
			222/146.5				138/121
4,090,640 A *	5/1978	Smith .....	B29B 13/022	D489,741 S *	5/2004	Calco .....	D15/144
			222/146.5	D556,798 S *	12/2007	Franco .....	D15/144
4,099,653 A	7/1978	Scholl et al.		7,441,568 B2	10/2008	Porter et al.	
D269,349 S *	6/1983	Belter .....	D15/144	D645,066 S *	9/2011	Sakae .....	D15/136
D270,353 S *	8/1983	Lewellen .....	D15/144	D646,700 S *	10/2011	Takeuchi .....	D15/135
D273,616 S *	4/1984	Levine .....	D15/135	D696,398 S *	12/2013	Blanco .....	D24/127
				D733,198 S *	6/2015	Chappel .....	D15/136
				D741,921 S *	10/2015	Jarvius .....	D15/136
				D764,554 S *	8/2016	Charles .....	D15/136

\* cited by examiner




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 7