

US00D780422S

(12) **United States Design Patent** (10) **Patent No.:** **US D780,422 S**
Barrow (45) **Date of Patent:** **** Mar. 7, 2017**

(54) **SHOE ICE GRIP ACCESSORY**
(71) Applicant: **Veró Vixen, LLC**, Brooklyn, NY (US)
(72) Inventor: **Veronica Barrow**, Brooklyn, NY (US)
(73) Assignee: **Vero Vixen, LLC**, Brooklyn, NY (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/510,307**
(22) Filed: **Nov. 26, 2014**
(51) **LOC (10) Cl.** **02-99**
(52) **U.S. Cl.**
USPC **D2/962**
(58) **Field of Classification Search**
USPC D2/946, 962, 963, 906; 36/59 R, 61–66,
36/7.6, 7.7
CPC A43C 15/00; A43C 15/02; A43C 15/04;
A43C 15/06; A43C 15/061; A43C
15/063; A43C 15/065; A43C 15/066;
A43C 15/08; A43C 15/09; A43C 15/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

442,003 A * 12/1890 Armstrong A43C 15/06
36/7.6
577,475 A * 2/1897 Zandalazini A43C 15/06
36/7.6
1,386,028 A * 8/1921 Roe A43C 15/06
36/7.6
1,437,376 A * 11/1922 Young E06C 7/18
36/7.5
1,487,390 A * 3/1924 King A43C 15/06
36/7.6
1,506,662 A * 8/1924 Peller A43C 15/06
36/1

3,214,850 A * 11/1965 McNair A43C 15/06
36/62
3,229,389 A * 1/1966 Adams A43C 15/06
36/62
D261,945 S * 11/1981 Carey D2/962
D305,383 S * 1/1990 Arai D2/956
6,742,286 B2 * 6/2004 Giovale A43C 15/061
36/62
D548,430 S * 8/2007 Hulcy D2/909
D559,515 S * 1/2008 Norton D2/962
D559,516 S * 1/2008 Norton D2/962
D560,890 S * 2/2008 Norton D2/962
D573,779 S * 7/2008 Stauffer D2/951
D583,542 S * 12/2008 Gerber D2/946
D628,372 S * 12/2010 Bell D2/906
D649,334 S * 11/2011 Terry D2/909
D670,491 S * 11/2012 Ko D2/962
D688,036 S * 8/2013 Dekovic D2/946
D688,037 S * 8/2013 Dekovic D2/946
D719,336 S * 12/2014 Berend D2/951
D747,597 S * 1/2016 Raisanen D2/962
2004/0088883 A1 * 5/2004 Workman A43B 3/18
36/15

(Continued)

Primary Examiner — Elizabeth J Oswecki


(57) **CLAIM**

The ornamental design for a shoe ice grip accessory, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an ice grip accessory showing my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a bottom perspective view thereof.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0067776 A1* 3/2013 Auger A43B 5/02
36/25 R
2013/0333248 A1* 12/2013 Auger A43B 3/0052
36/134

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8