



US00D780681S

(12) **United States Design Patent** (10) **Patent No.:** **US D780,681 S**
Krier et al. (45) **Date of Patent:** **** Mar. 7, 2017**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Jean-Julien Edouard Ghislain Krier, Bastogne (BE); Georges Gaston Feider, Bettborn (LU)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **15 Years**

(21) Appl. No.: **29/547,054**

(22) Filed: **Dec. 1, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/600; D12/900**

(58) **Field of Classification Search**
USPC D12/568-604, 900
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D384,608 S	10/1997	Schuster		D12/146
D397,970 S	9/1998	Le et al.		D12/147
D410,420 S	6/1999	de Barsy		D12/147
D411,492 S	6/1999	Young		D12/149
D414,449 S	9/1999	Schuster		D12/146
D448,707 S	10/2001	Maziarka et al.		D12/147
D449,022 S	10/2001	Cazin-Bourguignon et al.		D12/147
D458,580 S	6/2002	Young et al.		D12/512
D473,513 S	4/2003	Welbes		D12/588
D554,055 S	10/2007	Beauguitte et al.		D12/600
D592,589 S	5/2009	Dixon et al.		D12/600
D599,282 S	9/2009	Nicolas		D12/588

D601,488 S	10/2009	Maus et al.		D12/600
D604,229 S	* 11/2009	Le		D12/582
D609,175 S	2/2010	Feider et al.		D12/600
D619,081 S	7/2010	Nicolas et al.		D12/571
D631,002 S	1/2011	Cazin-bourguignon et al.		D12/602

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — John Voytek

(74) *Attorney, Agent, or Firm* — Robert N. Lipcsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;



FIG. 4 is an enlarged fragmentary front elevational view thereof;

FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in the claim.

In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 through 4 depict environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D637,143 S	*	5/2011	Ohara	D12/588
D637,149 S	*	5/2011	Yamaguchi	D12/579
D637,150 S	*	5/2011	Koshio	D12/579
D644,600 S		9/2011	Nicolas et al.	D12/602
D645,810 S		9/2011	Le et al.	D12/600
D647,036 S	*	10/2011	Yamaguchi	D12/588
D647,468 S	*	10/2011	Weaver	D12/588
D656,088 S		3/2012	Krier et al.	D12/591
D686,565 S		7/2013	Maus et al.	D12/588
D726,644 S	*	4/2015	Kuwahara	D12/602
D738,815 S		9/2015	Dixon et al.	D12/594
D740,744 S		10/2015	Krier et al.	D12/583
D746,224 S	*	12/2015	Drake	D12/600
D759,582 S	*	6/2016	Nobunaga	D12/588

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6