



US00D780799S

(12) **United States Design Patent**
Mehring et al.

(10) **Patent No.:** **US D780,799 S**
(45) **Date of Patent:** **** Mar. 7, 2017**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH AN ANIMATED GRAPHICAL USER INTERFACE FOR TEMPERATURE MONITORING**

Primary Examiner — Philip S Hyder
Assistant Examiner — Cary M Robinson
(74) *Attorney, Agent, or Firm* — Zilka-Kotab, PC

(71) Applicant: **Intellex Corporation**, San Jose, CA (US)

(57) **CLAIM**

(72) Inventors: **Peter Mehring**, Los Altos, CA (US);
Thomas Reese, Ellicott City, MD (US)

The ornamental design for a display screen or portion thereof with an animated graphical user interface for temperature monitoring, as shown and described.

(73) Assignee: **Intellex Corporation**, San Jose, CA (US)

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/530,144**

(22) Filed: **Jun. 12, 2015**

(51) **LOC (10) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/487**; D14/491

(58) **Field of Classification Search**
USPC D14/485–495
CPC G06F 3/0481; G06F 3/04845; G06F 3/04817; G06F 17/212; G06T 13/80; G06T 15/02; H04N 1/00424

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,002,403	A	*	12/1999	Sugiyama	G06F 3/04815
						715/717
D703,689	S	*	4/2014	Kim	D14/486
D730,380	S	*	5/2015	Zhong	D14/487
D730,381	S	*	5/2015	Zhong	D14/487
D741,879	S	*	10/2015	Chapman	D14/486

(Continued)

FIG. 1 is a front view of the first image in a transitional sequence of a display screen or portion thereof with animated graphical user interface for temperature monitoring, shown in an exemplary environment of use.

FIG. 2 is a front view of the second image in a transitional sequence of a portion of the display screen with animated graphical user interface for temperature monitoring;

FIG. 3 is a front view of the third image thereof;



FIG. 4 is a front view of the fourth image thereof; and,

FIG. 5 is a front view of the fourth image thereof.

The claim is confined to the portion bounded by the rectangular broken lines in the upper-left portion in FIG. 1. The remainder of the broken lines in FIG. 1 illustrate portions of the temperature monitoring display screen. The outer broken line in FIGS. 2-5 illustrate a display screen or portion thereof and the remainder of the broken lines illustrate portions of the animated graphical user interface. None of the broken lines form part of the claimed design.

The appearance of the transitional image sequentially transitions between the images shown in FIGS. 1-5. No ornamental design for aspects are associated with the process or period in which one image transitions to another image.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D752,089 S * 3/2016 Cru D14/488
D759,704 S * 6/2016 Kettner D14/488
D762,722 S * 8/2016 Kim D14/491
D765,124 S * 8/2016 Minks-Brown D14/487
D766,268 S * 9/2016 Katz G06Q 30/0214
D14/485
D767,597 S * 9/2016 Shin D14/485
9,442,622 B2 * 9/2016 Oliver G06F 9/4443
2002/0109710 A1 * 8/2002 Holtz G06F 3/1431
715/723
2003/0091329 A1 * 5/2003 Nakata G11B 27/034
386/281
2010/0235746 A1 * 9/2010 Anzures G06F 3/04855
715/723
2016/0202948 A1 * 7/2016 Chen G06F 9/4443
715/746

* cited by examiner




FIG. 3




FIG. 4




FIG. 5