



US00D781002S

(12) **United States Design Patent** (10) **Patent No.:** **US D781,002 S**
Mathews, Jr. (45) **Date of Patent:** **** Mar. 7, 2017**

(54) **DOUBLE D-RING ATTACHMENT POINT**
(71) Applicant: **D B Industries, LLC**, Red Wing, MN (US)
(72) Inventor: **William J. Mathews, Jr.**, Woodstock, GA (US)
(73) Assignee: **D B Industries, LLC**, Red Wing, MN (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/524,938**
(22) Filed: **Apr. 24, 2015**
(51) **LOC (10) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D29/124; D29/100; D8/356**
(58) **Field of Classification Search**
USPC D8/349, 355, 356; 24/300–303, 316;
211/87.01; 128/869, 870, 872–876;
D2/629; 280/290; 297/486, 487;
D29/124, 100, 101, 122; D24/190;
D30/151, 153, 154
CPC ... A47F 7/14; A47B 63/00; F16B 1/00; F16B
2001/0035; F16M 13/02; G09F 1/10;
G09F 7/18; A62B 35/00; A62B 35/031;
A44B 11/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,072,958 A * 9/1913 Kerr B68C 1/16
296/144
4,778,033 A * 10/1988 Gonzalez A62B 35/0031
128/878
D367,949 S * 3/1996 Vallance D2/628
D373,750 S * 9/1996 Gunderson D12/133

D375,924 S * 11/1996 Kramer D12/133
D400,317 S * 10/1998 Koch D30/152
D449,136 S * 10/2001 Vallance D29/100
D471,006 S * 3/2003 French D3/221
D506,709 S * 6/2005 Choi D12/133
D557,007 S * 12/2007 Della Valle D2/976
D570,603 S * 6/2008 Wu D3/327
D573,381 S * 7/2008 Pinholster, Jr. D6/387
D580,257 S * 11/2008 Squyres D8/349
D609,408 S * 2/2010 Labelson D30/152
7,665,248 B2 * 2/2010 Blackford E04D 13/12
248/237
8,069,540 B2 * 12/2011 Obiols B65D 63/10
24/265 AL
D673,880 S * 1/2013 Boothby D11/218
D694,478 S * 11/2013 Ali D30/153
D699,406 S * 2/2014 Stolte D30/153
D702,595 S * 4/2014 Fretz D11/218
D737,659 S * 9/2015 McMorris D8/330
D739,303 S * 9/2015 Kinskey D11/218

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Dicke, Billig & Czaja, PLLC


(57) **CLAIM**

The ornamental design for the double D-ring attachment point, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of our double D-ring attachment point;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof, the bottom plan view being a mirror image thereof; and,
FIG. 6 is a left side elevational view thereof, the right side elevational view being a mirror image thereof.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D753,470	S	*	4/2016	Paladino		D8/367
D754,246	S	*	4/2016	Tang		D17/13
D758,072	S	*	6/2016	Chase		D3/254
D760,503	S	*	7/2016	Arguelles		D6/315
D761,924	S	*	7/2016	Sato		D21/662
2007/0261213	A1	*	11/2007	Nolan		A45F 3/14
						24/300
2015/0352710	A1	*	12/2015	Raphel		A47C 12/00
						206/372

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6