



US00D781103S

(12) **United States Design Patent**  
**Karussi**

(10) **Patent No.:** **US D781,103 S**

(45) **Date of Patent:** **\*\* Mar. 14, 2017**

(54) **INSULATED DRINKING TUMBLER AND LID**

(71) Applicant: **Tervis Tumbler Company**, North Venice, FL (US)

(72) Inventor: **Kurt Karussi**, Osprey, FL (US)

(73) Assignee: **Tervis Tumbler Company**, North Venice, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/538,723**

(22) Filed: **Sep. 8, 2015**

(51) **LOC (10) Cl.** ..... **07-01**

(52) **U.S. Cl.**  
USPC ..... **D7/507; D7/523; D7/532; D7/510**

(58) **Field of Classification Search**  
USPC ..... D7/507, 510, 511, 523, 531, 532, 300.1, D7/591, 300.2, 608, 629, 387, 392.1, D7/396.2, 396.3, 665, 509; D9/503, 435, D9/436, 440, 447, 449, 905, 454, 427, D9/446, 443, 442, 434; 220/200, 703, 220/705, 592.16, 596.17, 495.03, 62.12; 215/45, 206, 224, 240, 305; 206/154, 156  
CPC A47G 19/2211; A47G 19/2266; A47G 19/22; A45F 3/16; A37G 19/2272; B65D 51/18; B65D 43/02; B65D 47/08; B65D 41/56  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- RE37,773 E \* 7/2002 Trombley ..... A47G 19/2227 D7/511
- D467,975 S \* 12/2002 Mandar ..... D19/69
- D476,193 S \* 6/2003 Janky ..... D7/510
- D480,267 S \* 10/2003 Freed ..... D7/510

- D488,672 S \* 4/2004 Oas ..... D7/507
- D543,402 S \* 5/2007 Goeking ..... D6/520
- D547,122 S \* 7/2007 Gluck ..... D7/509
- D547,610 S \* 7/2007 Edelstein ..... D7/510
- D561,535 S \* 2/2008 Jin ..... D7/509
- D577,260 S \* 9/2008 Bodum ..... D7/509
- D590,390 S \* 4/2009 Musgrave ..... D14/352
- D591,608 S \* 5/2009 Marotti ..... D9/571

(Continued)

*Primary Examiner* — Marianne Pandozzi

*Assistant Examiner* — Jae Liang

(74) *Attorney, Agent, or Firm* — Caesar Rivise, PC

(57) **CLAIM**



The ornamental design for an insulated drinking tumbler and lid, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a first embodiment of an insulated drinking tumbler and lid showing my new design; FIG. 2 is a front elevational view thereof; the rear and side views are identical; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a second embodiment of an insulated tumbler and lid; FIG. 6 is a front elevational view thereof; the rear and side views are identical; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof.

The broken lines in the drawing depict portions of the insulated drinking tumbler and lid that form no part of the claimed design. The tumbler includes an inner and an outer vessel. The inner vessel is shaded and includes light stippling to indicate that it is semi-opaque or translucent in appearance. The outer vessel is shaded to indicate that it is transparent in appearance.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

|              |    |   |         |             |       |                        |
|--------------|----|---|---------|-------------|-------|------------------------|
| D613,555     | S  | * | 4/2010  | Watkins     | ..... | D7/510                 |
| D618,964     | S  | * | 7/2010  | Eisenhardt  | ..... | D7/509                 |
| D628,857     | S  | * | 12/2010 | Tatsukawa   | ..... | D7/608                 |
| D650,121     | S  | * | 12/2011 | Volkan      | ..... | D26/125                |
| D662,743     | S  | * | 7/2012  | Meyerhoffer | ..... | D6/545                 |
| D728,311     | S  | * | 5/2015  | Eyal        | ..... | D7/510                 |
| D740,073     | S  | * | 10/2015 | Zorovich    | ..... | D7/507                 |
| D742,173     | S  | * | 11/2015 | Perman      | ..... | D7/507                 |
| D743,209     | S  | * | 11/2015 | Maas        | ..... | D7/523                 |
| D744,780     | S  | * | 12/2015 | Lindsay     | ..... | D7/510                 |
| D758,792     | S  | * | 6/2016  | Karussi     | ..... | D7/392.1               |
| 2005/0111212 | A1 | * | 5/2005  | Diak/Ghanem | ....  | A47G 19/2227<br>362/84 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8