



US00D781103S

(12) **United States Design Patent**
Karussi

(10) **Patent No.:** **US D781,103 S**

(45) **Date of Patent:** **** Mar. 14, 2017**

(54) **INSULATED DRINKING TUMBLER AND LID**

(71) Applicant: **Tervis Tumbler Company**, North Venice, FL (US)

(72) Inventor: **Kurt Karussi**, Osprey, FL (US)

(73) Assignee: **Tervis Tumbler Company**, North Venice, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/538,723**

(22) Filed: **Sep. 8, 2015**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/507; D7/523; D7/532; D7/510**

(58) **Field of Classification Search**
USPC D7/507, 510, 511, 523, 531, 532, 300.1, D7/591, 300.2, 608, 629, 387, 392.1, D7/396.2, 396.3, 665, 509; D9/503, 435, D9/436, 440, 447, 449, 905, 454, 427, D9/446, 443, 442, 434; 220/200, 703, 220/705, 592.16, 596.17, 495.03, 62.12; 215/45, 206, 224, 240, 305; 206/154, 156
CPC A47G 19/2211; A47G 19/2266; A47G 19/22; A45F 3/16; A37G 19/2272; B65D 51/18; B65D 43/02; B65D 47/08; B65D 41/56
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- RE37,773 E * 7/2002 Trombley A47G 19/2227 D7/511
- D467,975 S * 12/2002 Mandar D19/69
- D476,193 S * 6/2003 Janky D7/510
- D480,267 S * 10/2003 Freed D7/510

- D488,672 S * 4/2004 Oas D7/507
- D543,402 S * 5/2007 Goeking D6/520
- D547,122 S * 7/2007 Gluck D7/509
- D547,610 S * 7/2007 Edelstein D7/510
- D561,535 S * 2/2008 Jin D7/509
- D577,260 S * 9/2008 Bodum D7/509
- D590,390 S * 4/2009 Musgrave D14/352
- D591,608 S * 5/2009 Marotti D9/571

(Continued)

Primary Examiner — Marianne Pandozzi

Assistant Examiner — Jae Liang

(74) *Attorney, Agent, or Firm* — Caesar Rivise, PC

(57) **CLAIM**



The ornamental design for an insulated drinking tumbler and lid, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of an insulated drinking tumbler and lid showing my new design; FIG. 2 is a front elevational view thereof; the rear and side views are identical; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a second embodiment of an insulated tumbler and lid; FIG. 6 is a front elevational view thereof; the rear and side views are identical; FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof.

The broken lines in the drawing depict portions of the insulated drinking tumbler and lid that form no part of the claimed design. The tumbler includes an inner and an outer vessel. The inner vessel is shaded and includes light stippling to indicate that it is semi-opaque or translucent in appearance. The outer vessel is shaded to indicate that it is transparent in appearance.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D613,555	S	*	4/2010	Watkins	D7/510
D618,964	S	*	7/2010	Eisenhardt	D7/509
D628,857	S	*	12/2010	Tatsukawa	D7/608
D650,121	S	*	12/2011	Volkan	D26/125
D662,743	S	*	7/2012	Meyerhoffer	D6/545
D728,311	S	*	5/2015	Eyal	D7/510
D740,073	S	*	10/2015	Zorovich	D7/507
D742,173	S	*	11/2015	Perman	D7/507
D743,209	S	*	11/2015	Maas	D7/523
D744,780	S	*	12/2015	Lindsay	D7/510
D758,792	S	*	6/2016	Karussi	D7/392.1
2005/0111212	A1	*	5/2005	Diak/Ghanem	A47G 19/2227 362/84

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8