



US00D781353S

(12) **United States Design Patent**  
**Underhill et al.**

(10) **Patent No.:** **US D781,353 S**

(45) **Date of Patent:** **\*\* Mar. 14, 2017**

- (54) **REAR FENDER FOR A BACKHOE LOADER**
- (71) Applicant: **J.C. BAMFORD EXCAVATORS LIMITED**, Rocester, Staffordshire (GB)
- (72) Inventors: **Thomas Edward Underhill**, Rocester (GB); **Samuel John Jilbert**, Rocester (GB)
- (73) Assignee: **J.C. BAMFORD EXCAVATORS LIMITED**, Utttoxeter (GB)

7,222,884 B2 \* 5/2007 Callan ..... B62D 25/182  
280/154  
D544,888 S \* 6/2007 Mursch ..... D15/28  
D591,774 S \* 5/2009 Kokitkar ..... D15/28  
D591,775 S \* 5/2009 Kokitkar ..... D15/28  
D604,750 S \* 11/2009 Smith ..... D15/28  
D623,103 S \* 9/2010 Braga ..... D12/181  
8,882,152 B2 \* 11/2014 Rund ..... 280/154  
D721,106 S \* 1/2015 Okuyama ..... D15/23  
8,960,725 B2 \* 2/2015 Rund ..... 280/154  
D749,148 S \* 2/2016 Darekar ..... D15/30  
D753,192 S \* 4/2016 Jackson ..... D15/28

(Continued)

(\*\*) Term: **15 Years**

*Primary Examiner* — Mark Goodwin

(21) Appl. No.: **29/539,094**

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(22) Filed: **Sep. 10, 2015**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a rear fender for a backhoe loader, as shown and described.

Mar. 10, 2015 (EM) ..... 001431910

(51) **LOC (10) Cl.** ..... **15-03**

(52) **U.S. Cl.**  
USPC ..... **D15/28**

(58) **Field of Classification Search**  
USPC ..... D15/10, 22, 26, 28, 30, 31; 180/89.11, 180/89.12, 89.13, 89.19, 90; 296/190.01, 296/190.08, 210, 190, 202  
CPC . B66C 13/54; E02F 9/16; E02F 9/163; B62D 33/0617; B60J 7/00; B60J 1/004  
See application file for complete search history.

**DESCRIPTION**


(56) **References Cited**

FIG. 1 is a rear and outside view of a right rear fender for a backhoe loader, showing the new design.  
FIG. 2 is top view of the left rear fender for the backhoe loader.  
FIG. 3 is an outside view of the right rear fender.  
FIG. 4 is a rear and inside view of the right rear fender.  
FIG. 5 is a front view of the right rear fender.  
FIG. 6 is a back view of the right rear fender.  
FIG. 7 is a front, outside, and top view of the right rear fender.  
FIG. 8 is a top view of the right rear fender.  
FIG. 9 is a front and outside view of the left rear fender; and, FIG. 10 is an inside view of the right rear fender.

U.S. PATENT DOCUMENTS

D531,646 S \* 11/2006 McCarren, Jr. .... D15/30  
D542,308 S \* 5/2007 Oka ..... D15/23

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D754,212 S \* 4/2016 Jackson ..... D15/28

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7




Fig. 8





Fig. 9




Fig. 10