



US00D781704S

(12) **United States Design Patent** (10) **Patent No.:** **US D781,704 S**
Olson et al. (45) **Date of Patent:** **** *Mar. 21, 2017**

(54) **COMBINED CONTAINER AND TOOL**

(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(72) Inventors: **Judd D. Olson**, Deephaven, MN (US);
Sean P. Henry, Huntersville, NC (US);
Christopher T. Jensen, Minneapolis, MN (US); **Philip V. D'Andrea**,
Williamsville, NY (US)

(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/517,082**

(22) Filed: **Feb. 10, 2015**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/436; D9/442**

(58) **Field of Classification Search**
USPC D4/118; D8/14.1; D9/434, 499,
D9/695-699, 715, 718, 723, 735 D;
401/263, 264, 266
CPC B05C 17/00516
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D18,931 S *	2/1889	Everitt	D9/697
1,598,811 A	8/1926	Ferrin		
D200,980 S *	4/1965	Bateman et al.	D9/499
D221,063 S *	7/1971	Simmonite et al.	222/107
D239,599 S *	4/1976	Bauwens	D9/434
D246,228 S *	11/1977	Hoy	D9/697
D257,229 S *	10/1980	Leger	D9/443

D289,609 S *	5/1987	Bauwens	D9/697
D326,019 S	5/1992	Spangler		
D333,955 S *	3/1993	Hatgas	D8/14.1
D338,298 S	8/1993	Grim, Sr.		
D341,301 S *	11/1993	Noelck	D8/14.1
D356,259 S	3/1995	Hoyt		
D383,907 S *	9/1997	Fey	D32/42
D470,052 S *	2/2003	Klutts	D9/447
D479,122 S *	9/2003	Karim	D9/697
D577,605 S *	9/2008	Py	D9/695
7,744,299 B1	6/2010	Greer, Jr.		

(Continued)

OTHER PUBLICATIONS

Olson, U.S. Appl. No. 29/481,724, filed Feb. 10, 2014, entitled "Combined Container and Tool".

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — Irina Hass

(57) **CLAIM**

The ornamental design for a combined container and tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined container and tool showing the new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof, a left side view being a mirror image thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

The portions of the combined container and tool in FIGS. 1-4 and 6 shown in evenly-spaced broken lines are included to show features that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D650,251 S	*	12/2011	Binder	D8/14.1
D652,320 S	*	1/2012	Sander	D9/431
D658,982 S	*	5/2012	Pauser	D9/435
D658,984 S	*	5/2012	Pauser	D9/435
D679,995 S	*	4/2013	Lee	D9/436
D684,867 S	*	6/2013	English	D9/707
D739,727 S	*	9/2015	Olson	D9/436

OTHER PUBLICATIONS

“General Electric Caulk-It”, GE Advanced Materials, Sealants & Adhesives, [retrieved from the internet Jan. 30, 2015], <https://www.behance.net/gallery/12039087/General-Electric-Caulk-it-ad-campaign>, 1 page.

Packaging World, “Caulk-it Revolutionizes the Sealants Market”, Sep. 30, 2003, [retrieved from the internet Jan. 30, 2015], <http://www.packworld.com/print/27207>, 2 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6