



US00D781709S

(12) **United States Design Patent**
Bristow

(10) **Patent No.:** **US D781,709 S**

(45) **Date of Patent:** **** *Mar. 21, 2017**

(54) **CLOSURE**

(71) Applicant: **James Timothy Bristow**, Chai Wan (HK)

(72) Inventor: **James Timothy Bristow**, Chai Wan (HK)

(73) Assignee: **ROTAM AGROCHEM INTERNATIONAL COMPANY LIMITED**, Hong Kong (HK)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/528,435**

(22) Filed: **May 28, 2015**

(30) **Foreign Application Priority Data**

Nov. 28, 2014 (EM) 002588046-0004
Nov. 28, 2014 (EM) 002588046-0005

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/453; D9/445**

(58) **Field of Classification Search**
USPC D7/398; D9/434-436, 438-440,
D9/442-445, 447-450, 452-457, 499,
D9/723; D24/114; D28/85; 215/222,
215/252; 222/402.13

CPC ... B65D 47/122; B65D 47/205; B65D 47/242
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D335,449 S * 5/1993 Appla D9/447
D336,430 S * 6/1993 Maguire D9/447
D383,065 S * 9/1997 Eastling D9/447
D448,475 S * 9/2001 Jansen D24/110

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — St Onge Steward
Johnston and Reens LLC

(57) **CLAIM**

The ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a closure in accordance with the new design showing a container portion in a cross sectional view taken in the direction of line 1-1 of FIG. 3 and a top portion in a front elevational view;

FIG. 2 is a rear elevational view of the closure in accordance with the new design;

FIG. 3 is a right side elevational view of the closure in accordance with the new design;

FIG. 4 is a front elevational view of the closure in accordance with the new design showing the top portion attached in the optional upside down position;


FIG. 5 is a rear elevational view of the closure in accordance with the new design showing the top portion attached in the optional upside down position;

FIG. 6 is a left side elevational view of the closure in accordance with the new design showing the top portion attached in the optional upside down position; and,

FIG. 7 is a top plan view of the closure in accordance with the new design.

In FIGS. 2, 5 and 7, the evenly-spaced broken lines depict portions of the closure that form no part of the claim.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D451,020 S	*	11/2001	Koenig	D9/434
D467,039 S	*	12/2002	Fuller	D28/77
D672,239 S	*	12/2012	Barksdale	D9/447
D691,040 S	*	10/2013	Wade	D9/440
D712,257 S	*	9/2014	Schwall	D9/448
D719,826 S	*	12/2014	Burnside	D9/447
D731,310 S	*	6/2015	Demey	D9/434
D738,214 S	*	9/2015	Schwarz	D9/449
D738,215 S	*	9/2015	Schwarz	D9/449
D739,237 S	*	9/2015	Schwarz	D9/449
D748,476 S	*	2/2016	Lakstins	D9/447

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7