



US00D781716S

(12) **United States Design Patent**
O’Connell et al.

(10) **Patent No.:** **US D781,716 S**
(45) **Date of Patent:** **** Mar. 21, 2017**

(54) **CONTAINER FOR STORING AND DISPENSING FLOWABLE PRODUCTS**

(71) Applicant: **ROBERTS CONTAINER CORPORATION**, Chatsworth, CA (US)

(72) Inventors: **Kristen K. O’Connell**, Woodland Hills, CA (US); **Angela P. Munoz**, Burbank, CA (US)

(73) Assignee: **THE ROBERTS CONTAINER CORP.**, Chatsworth, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/515,885**

(22) Filed: **Jan. 28, 2015**

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/696**

(58) **Field of Classification Search**
USPC D9/501–504, 723–724, 702–714, D9/695–699, 435, 440, 454, 544, 711; 132/317–318, 297, 320; D3/206; 222/92, 222/96, 107, 527–529; 401/72, 68, 401/17–19; 206/438, 823; 428/34.1; D11/146; D28/76, 82, 4, 7, 85–90; 220/890, DIG. 7
CPC B65D 5/00; B65D 5/0015; B65D 5/0227; B65D 5/0254; B65D 5/2033; B65D 5/18; B65D 35/02; B65D 35/04; B65D 35/08; B65D 35/28; B65D 35/36; B65D 35/38; B65D 11/00; B65D 11/04; B65D 11/02; B65D 25/40; B65D 25/42; B65D 25/44; B65D 25/48; B65D 39/00; B65D 39/0023; B65D 39/04; B65D 39/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,526,960 A	6/1996	Breidenbach et al.	222/183
6,981,814 B2	1/2006	Geardino et al.	401/205
D616,608 S *	5/2010	Maddy	D28/76
D643,307 S *	8/2011	Arinsmier	D9/722
D666,920 S *	9/2012	Chen	D9/697
8,523,470 B2	9/2013	Palo et al.	401/35
8,545,120 B2	10/2013	Breidenbach et al.	401/17
D705,993 S *	5/2014	Goswell	D28/76
D735,946 S *	8/2015	Ko	D28/76
D740,491 S *	10/2015	Albertini	D28/76

(Continued)

Primary Examiner — Abraham Bahta


(57) **CLAIM**

The ornamental design for a container for storing and dispensing flowable products, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a container in an assembled position in accordance with our invention; FIG. 2 is a bottom plan view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a side elevational view thereof with the container with the top and bottom in an exploded position; FIG. 5 is a side elevational view thereof, similar to FIG. 4, rotated 90 degrees; FIG. 6 is a side elevational view thereof, similar to FIG. 4, rotated 180 degrees; FIG. 7 is a side elevational view thereof, similar to FIG. 4, rotated 270 degrees; FIG. 8 is an open end view of the bottom of the container; and, FIG. 9 is an open end view of the top of the container.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D748,865 S * 2/2016 Hall D28/85

* cited by examiner



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9